

Desktop Client User Guide

Axiom

Version 2022.2

The Axiom logo consists of the word "AXIOM" in a bold, white, sans-serif font. It is enclosed within a rectangular frame that has a blue-to-purple gradient. The frame is composed of two horizontal lines and two vertical lines, with the top and bottom lines being slightly longer than the side lines.

AXIOM

Microsoft, Excel, Windows, SQL Server, Azure, and Power BI are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries.

This document is Syntellis Performance Solutions, LLC Confidential Information. This document may not be distributed, copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable format without the express written consent of Syntellis Performance Solutions, LLC.

Copyright © 2022 Syntellis Performance Solutions, LLC. All rights reserved. Updated: 6/6/2022

Syntellis
10 S. Wacker Dr., Suite 3375
Chicago, Illinois 60606
847.441.0022
www.syntellis.com

Table of Contents

Chapter 1: Introduction	1
Chapter 2: Desktop Client Basics	3
Home page	3
Axiom menu	4
Axiom file tabs	5
Axiom Assistant task panes	9
Managing favorites	24
Opening recent files	26
Changing your Axiom password	26
Closing Axiom	27
Chapter 3: Using Plan Files	28
About plan files	28
Opening a plan file	30
Creating a plan file	32
Editing a plan file	33
Adding or changing rows in a plan file	34
Refreshing a plan file with data	46
Adding sheets to an Axiom file	47
Viewing and managing file attachments for a plan file	49
Saving a plan file	50
Completing a task in a plan file process	52
Chapter 4: Using Reports	59
About reports	59
Opening a report	60
Creating a new report	63
Refreshing a report with data	66
Applying a Quick Filter to a report	66
Processing a report	73
Saving a report	75
Chapter 5: Using Axiom File Features	78
Changing views in an Axiom file	78
Jumping to GoTo bookmarks in an Axiom file	78
Freezing or unfreezing panes in a sheet	79

Drilling the data in an Axiom file	80
Chapter 6: Printing Files and other File Output Options	85
Printing an Axiom file	85
Printing multiple plan files	88
Running file processing on an Axiom file	90
Taking a snapshot copy of an Axiom file	91
Emailing a snapshot of an Axiom file	92
Emailing a hyperlink to an Axiom file	94
Appendix A: Reference	97
Axiom grids	97
Index	101

Introduction

Axiom is an enterprise performance management application with full-featured planning and reporting functionality. Once the system has been configured to your organization's requirements, plan files and reports are made accessible to end users. This guide explains how to work with spreadsheet-based plan files and reports that have already been created by administrators and other power users.

▶ Intended audience

This guide is intended for all users of Axiom.

▶ What is covered in this guide?

This guide covers the following:

- Introduction to the Desktop Client user environment, including menus and basic navigation
- How to use spreadsheet-based plan files to develop planning data for your responsibility areas
- How to use spreadsheet-based reports to view Axiom data
- File output options

▶ What is not covered in this guide?

The following related topics are not covered in this guide:

- Basics of using the Web Client. For more information, see the *Web Client User Guide*.
- Creation and use of web reports and the Report Builder. For more information, see the *Web Reports Guide*.
- Administration or file setup activities. For more information, see the other guides delivered with the system.

All documentation for Axiom can also be accessed using the Axiom Help Files.

▶ Axiom Client applications

Users interact with Axiom using either the Desktop Client or the Web Client.

Desktop Client

The Desktop Client is the general name for the Axiom application that runs on the client desktop. The Desktop Client provides access to spreadsheet-based plan files, reports, and other supporting files. The Desktop Client also provides access to full administration features for the Axiom platform, including managing security, Scheduler, tables, imports/exports, file groups, and more.

There are two different versions of the Desktop Client:

- **Excel Client.** The Excel Client provides access to all Axiom features within a Microsoft Excel interface.
- **Windows Client.** The Windows Client uses a .NET-based engine to emulate the spreadsheet environment without requiring Microsoft Excel. It provides full access to Axiom features, but certain spreadsheet features are limited.

Syntellis recommends the Windows Client as the primary client application for all users who need access to the Desktop Client. Generally speaking, use of the Excel Client should be reserved for spreadsheet file development, due to the easy access to full spreadsheet functionality.

Web Client

The Web Client provides browser-based access for Axiom, limited to certain web-enabled features. The Web Client does not provide spreadsheet functionality.

Using the Web Client, end users can access browser-based plan files and reports. Certain system administration features are available in the Web Client, such as limited Scheduler, security, and table management. Various Axiom products also provide product administration features in the Web Client.

This guide discusses functionality that is available in the Axiom Desktop Client (Excel Client and Windows Client). Screenshots of features may show either the Excel Client or the Windows Client. The Axiom functionality is virtually identical in both environments.

Desktop Client Basics

This section discusses the basics of working with the Axiom Desktop Client. The Desktop Client provides full access to general Axiom administration features and file development features, and can also be used by end users to work with spreadsheet-based plan files and reports.

The Desktop Client has two different options: the Excel Client and the Windows Client. Both clients can be installed and launched from the Web Client. Use of the Excel Client requires Microsoft Excel to be installed on the client machine. You must have security permission to the client in order to launch and use it.

The Excel Client and Windows Client support the same Axiom functionality. The primary difference between the two clients is the spreadsheet interface and the level of support for spreadsheet functionality. Any Desktop Client feature can be used in both clients unless specifically stated otherwise.

Home page

All users have a home page that opens automatically when you log into Axiom.

The contents of your home page may vary depending on the security roles you belong to and the products that you have access to. If you have any questions about your home page, please contact your system administrator.

► Desktop Client home page

The default label for the home page is **Home**. The name on the file tab may be different if your administrator has assigned an alternate home page.

The home page may be configured as non-closeable, which means it is always open while you are working in Axiom. If the home page is closeable, you can close and open it as follows:

- To close the home page, click the **X** button in the file tab, or right-click the file tab and select **Close**.


NOTE: The **Close All** and **Close All But This** options do not close the home page; it must be individually closed. If you are using the Axiom Excel Client and the home page is the last open file, then closing the home page will close the application.

- To reopen the home page in the current session, click the **Show Home** button in the **Display** group on the **Axiom** tab. This button can also be used to jump directly to the home page when multiple files are currently open.

NOTE: In systems with installed products, this button may be located on the **Main** tab.

Axiom menu

In the Desktop Client, all major Axiom files and features can be accessed using the **Axiom** tab on the ribbon.



Example Axiom menu

The **Axiom** tab contains the following groups:

Group	Description
File Groups	Access plan files, templates, and drivers. Create and process plan files.
Reports	Access existing reports and create new reports.
Administration	Manage tables, imports, file groups, security, and other system administration features.
File Options	Perform actions on Axiom files, such as saving the file, refreshing data, and inserting planning rows.
File Output	Perform file output actions on Axiom files, such as taking snapshot copies or using file processing.
Display	Manage display options for the Axiom user environment. Show or hide the home page, the formula bar, or sheet headings.
Advanced	Access advanced options.

Group	Description
Help	Open Axiom Help, and view information about the current Axiom system.
Exit	Close Axiom.

NOTE: This topic discusses the default contents of the Axiom ribbon tab. This ribbon tab can be customized per installation, or even removed and replaced with other custom ribbon tabs. You may also be assigned additional custom ribbon tabs that provide access to Axiom functionality.

The specific groups and features available on the menu depend on your security settings. For example, the **File Groups** group only displays the file groups that you have access to, and only allows opening plan files unless you have been granted the security rights to access other file group items like drivers and templates. Most end users will not see the **Administration** group or the **Advanced** group, unless they have been granted access to a feature in that area.

Spreadsheet features are available on other ribbon tabs, to perform spreadsheet formatting and other related tasks. If you are using the Excel Client, then you have access to all of the normal Microsoft Excel ribbon tabs. If you are using the Windows Client, a **Home** tab provides access to commonly-used spreadsheet features.


NOTES:

- Administrators have access to a second Axiom-related tab, named Axiom Designer. This tab can be used to assist with file development.
- When using the Axiom Excel Client, each file opens within its own window, and each window maintains its own set of ribbon tabs and task panes. This means that as you switch windows, the current state of the ribbon may be different in each window. For example, you may have the Home tab active in one window, but if you switch to another window the Axiom tab will still be active.

Axiom file tabs

In the Desktop Client, you can open multiple files at a time. Each file that you open—whether it is an Axiom file or a regular Excel spreadsheet—is represented by an Axiom file tab. These tabs are located below the ribbon and above the spreadsheet area.

You can quickly navigate between open files by using the Axiom file tabs. You can also perform certain basic file actions directly from these tabs.



Multiple file tabs open in the Axiom Windows Client

The tab displays the name of the file, and an icon identifying the file type. You can hover your cursor over the tab to see a tooltip with more information about the file. For example, if the file is a plan file, the tooltip shows what file group the file belongs to.

You can navigate between files by clicking on the tabs. To close a file, click the X icon in the right-hand side of the tab. Additional file close options are available on the right-click menu.

► Opening multiple files in the Axiom Excel Client

When using the Axiom Windows Client, multiple files open within the same window. As you move from file to file, you are changing the active file within the current window.

Microsoft Excel does not support the ability to open multiple workbooks within the same window. Therefore when you open multiple files in the Axiom Excel Client, each file opens in a new Excel window. The Axiom file tabs still display so that you have access to the right-click menu, however, when you click on a file tab you are actually changing windows. This action may look different as compared to the behavior when the files are all open in the same window. As an alternative to the file tabs, you can also switch between files (windows) by using the Windows task bar, or by clicking Alt+Tab to move through open windows.

The one-file-per-window behavior of Excel has the following functionality impacts:

- With the exception of the home page, web-enabled files cannot be opened as tabs within the Axiom Excel Client. Instead, these files will open in the browser. This includes Axiom forms, web reports, and data diagrams.
- The active ribbon tab and the active task pane are managed independently for each open window. This means that as you change windows, your active ribbon and active task pane may be different.

► Performing actions from the file tab

You can right-click a file tab to perform one of the following actions.








NOTE: If you are using the Axiom Excel Client, right-click options are only available on the currently active file. In the Axiom Windows Client, right-click options are available on all open files.

Action	Description
Save	<p>You can save the file using one of the following options:</p> <ul style="list-style-type: none">• Save: Save the file and its data.• Save File Only: Save only the file; do not perform a save-to-database. This option is not available to virtual plan files.• Save Data Only: Perform a save-to-database but do not save the file. <p>NOTE: In most cases, you should select Save, and Axiom will perform all save operations that you have rights to perform and that the file allows. Avoid saving only the file or only the data unless you understand the potential ramifications. For more details, see the save discussion for the file type that you are saving (for example, report or plan file).</p>
Save As	<p>You can save a copy of the file locally, or to the Axiom file system within the database:</p> <ul style="list-style-type: none">• Save As (Local File): Save a copy of the file to any local or network folder that you have access to. This option is not available to plan files. <p>If you save an Axiom file as a local file, it is no longer managed by Axiom. Additionally, if you open the local file within Axiom, most functionality will not be available. Generally speaking, a file should only be saved locally for purposes of importing it into another Axiom system.</p> <p>In the Axiom Excel Client, you can save the file using any file format that your Excel version supports. In the Windows Client, you can save the file as XLSM, XLSX, or XLS.</p> <p>NOTE: The ability to save as a local file can be disabled on a per system basis. For more information on system configuration settings, see the <i>System Administration Guide</i>.</p> <ul style="list-style-type: none">• Save As (Repository): Save a copy of the file to the Reports Library in the Axiom database (or to another eligible location, depending on the type of file being saved and your folder permissions). You must have read/write permissions to at least one folder to use this option. This option is not available for plan files.
Close	<p>Close the current file. This option is not available for startup files that have been configured as non-closeable.</p>

Action	Description
Close All	Close all files except the home page and any non-closeable startup files.
Close All But This	Close all files except the current file, the home page, and any non-closeable startup files.
Add to Favorites	Add the file to your list of favorites.

► File icons in the navigation pane


The following icons display on the file tabs, to identify files in the navigation pane.

Icon	Description	Tooltip Contents
	The Home file	<ul style="list-style-type: none"> File name File location (in the Axiom file system) Creation date
	A report file	<ul style="list-style-type: none"> File name File location (in the Axiom file system) Creation date
	A plan file	<ul style="list-style-type: none"> File name File group Plan file code Creation date
	A template file	<ul style="list-style-type: none"> File name File group Creation date
	A driver file	<ul style="list-style-type: none"> File name File group Creation date
	A table opened in a spreadsheet	<ul style="list-style-type: none"> Table name Filter
	An Excel file	<ul style="list-style-type: none"> File name File location Creation date

Axiom Assistant task panes

The Axiom Assistant area provides quick and easy access to Axiom files and features as you work in the Desktop Client. A variety of task panes are available to help you perform general and context-sensitive tasks. Additionally, system administrators can create customized task panes for use in this area.

The Axiom Assistant area is located in the left-hand side of the application, below the ribbon and to the left of any opened files. By default, the area is expanded, and you can work with any of its available task panes by clicking the side-tabs along the left-hand edge of the pane.



Example Axiom Assistant area

► Available task panes

The task panes available to you in the Axiom Assistant area depend on your system configuration and your security permissions. The following task panes may be available:

Task pane	Description	Availability
Data Source Assistant	Helper tool to build data sources, such as RefreshVariables, DataLookup, and Grid.	This task pane is system-controlled and displays if you have the appropriate security permissions, and the file is an Axiom file.
Explorer	Open files and other items that you have access to, including favorites.	This task pane is included by default, but may be disabled in your system or restricted to only certain users.



Task pane	Description	Availability
File Processing	Configure and perform file processing for an Axiom file, such as to perform multipass processing, file collect, or batch processing.	This task pane is system-controlled and displays if you have the appropriate security permissions and the file is enabled for File Processing.
Form Assistant	Configure form settings for an Axiom file, and preview the form.	This task pane is system-controlled and displays if you have the appropriate security permissions and the file is enabled for Axiom forms.
Messages	View comments about the current document, and add comments.	This task pane is system-controlled and displays for all eligible documents.
Notifications	View alert and system notifications and open associated files.	This task pane is system-controlled and displays if you have any active notifications.
Process	View process information and complete process tasks. By default this task pane only displays if it is relevant to you (for example if you are the assigned owner of a process task).	This task pane is included by default, but may be disabled in your system.
Sheet Assistant	Configure workbook and worksheet settings for an Axiom file, including Axiom queries.	This task pane is system-controlled and displays if you have the appropriate security permissions and the file is an Axiom file.
Table	View table details, set a filter, and refresh the currently opened table.	This task pane is system-controlled and displays when using Open Table in Spreadsheet.
<Custom Task Panes>	Your organization may have defined one or more custom task panes for your system.	Custom task panes may open automatically when Axiom is launched, or you may have access to the Task Panes Library to open certain task panes as needed.

The order of task panes in the Axiom Assistant area cannot be manually changed. Your system administrator has specified an order for the task panes that open when the system is started. System-controlled task panes display after these startup task panes.

► Minimize Axiom Assistant

By default, the Axiom Assistant area is maximized when you first start Axiom. If desired, you can minimize this area—for example, to gain more screen space while working on a file. When minimized, the area displays as a thin strip along the left-hand side of the application, with one or more side-tabs for each task pane.

You can expand the Axiom Assistant area to perform a task, and then minimize it again when you are finished.

- To minimize the Axiom Assistant pane, click the  button in the header.
- To expand the Axiom Assistant pane, click the  button in the collapsed header, or click on one of the task pane tabs.

Axiom remembers the state of the Axiom Assistant (minimized or expanded) when you exit the application, and will apply that state the next time you open Axiom on the same machine.

It is not possible to completely hide the Axiom Assistant area when task panes are open, however, if no task panes are open then the Axiom Assistant area is automatically hidden (and will automatically show again when a task pane is opened).

► Opening task panes

In most cases, the task panes that you need to use will open automatically—you do not need to manually open them.

- Certain task panes are configured to open automatically when Axiom is started, such as the Explorer task pane. These task panes are considered to be "global" task panes that you may want to use at any time while you work in the system.
- Other context-sensitive task panes only open when using certain features. For example, the File Processing task pane only displays when you open a file that is enabled for File Processing. There is no need to manually open the task pane because it will always be available when it is relevant (and assuming that you have security permissions to view it).

If you have access to the Task Panes Library to open certain custom task panes as needed, then you can open a task pane by double-clicking it in the Explorer task pane or the Axiom Explorer dialog.

Alternatively, one of your "startup" task panes might be used to open other task panes.

For example, you might have access to a Monthly Reporting task pane that details the steps you need to do to run your monthly reports, and links to those reports. You wouldn't necessarily need this task pane to be open at all times; instead, you would only want to see it when you are ready to process your monthly reports. You could open the task pane as needed from the Task Panes Library or from another custom task pane that links to it.

► Closing task panes

Most task panes cannot be manually closed. Either they are global task panes that always apply, or they are context-sensitive task panes that close automatically when the associated file or feature is closed. Alternatively, you can minimize the Axiom Assistant area to "hide" all task panes and gain more screen space for your open files.

If a task pane is closeable, then you can close it by clicking the **X** icon on the side-tab for the task pane. If this icon is not present, then the task pane cannot be closed. Typically, only task panes that you open manually can be closed manually, but in some cases you may also be able to close task panes that open on startup.

► Using task panes in the Axiom Excel Client

When using the Axiom Excel Client, each file opens within its own window, and each window maintains its own set of ribbon tabs and task panes. This means that as you switch windows, the set of task panes available in each window may be different. For example:

- If you manually opened a task pane in one window, that task pane will only be present in that window. It will not be present in other windows.
- The currently active task pane is managed independently for each window, so the active task pane may change as you change windows. (This can also occur when using the Axiom Windows Client, if you switch between files that have different default task pane associations. However, in the Axiom Excel Client it may also happen when switching between files with the same default task pane associations.)
- The current state of task panes is managed independently for each window. For example, if you expand the Reports Library in the Explorer task pane in one window, that expansion will not be present if you switch to a different window.

Exploring files using the Explorer task pane

Using the Explorer task pane in the Desktop Client, you can quickly access your favorites, recent items, and all Axiom files (and other assets) that you have rights to access.

The Explorer task pane is a streamlined version of the Axiom Explorer dialog. Most files and features available in Axiom Explorer are also available in the task pane, dependent on your security permissions.

The Explorer task pane is available in the Axiom Assistant area. To view the Explorer task pane, click the **Explorer** tab along the left-hand side of the Axiom Assistant area.

NOTE: The Explorer task pane is provided by default, but it may be disabled in your system, or restricted to only certain users, or customized. If you are an administrator and you want to configure the availability of the Explorer task pane, see the *System Administration Guide*.

The Explorer task pane is organized into sections. You can collapse and expand each section by clicking on the arrow button in the right-hand side of the section header.

Explorer Section	Description
My Files	<p>Contains the following:</p> <ul style="list-style-type: none">• Favorites: Your personal list of favorites. For more information on saving and managing favorites, see Managing favorites.• Recent: A list of your recently-opened items. This list displays the last 15 items that you opened. If desired, you can clear the list by right-clicking Recent and selecting Clear History.• My Documents: A "personal" folder within the Axiom file system where you can save documents. Only administrators and users with the User Documents Folder Access security permission have access to this feature. <p>NOTE: If a red arrow icon displays next to an item in Favorites or Recent, this means that the item the shortcut points to has been subsequently deleted. Moving or renaming an item does not break a shortcut, since files are tracked using the document ID.</p>
File Groups	<p>Contains the file groups that you have access to.</p> <p>End users can open plan files from this area. Administrators and other users with special feature permissions can manage file groups from this area.</p> <p>By default, file groups display in categories. If you are not using categories, or if you just want to change the view to display by file groups, you can do this by right-clicking the File Groups header.</p>
Libraries	<p>Contains the Axiom libraries and files that you have access to. You may have access to one or more of the following: Reports Library, Table Library, Data Diagrams Library, Filter Library, Task Panes Library, Ribbon Tabs Library, Process Definition Library, Scheduler Jobs Library, Imports Library, and Exports Library.</p> <p>Most end users only have access to the Reports Library.</p>
Axiom System	<p>Contains Axiom system files. Only administrators have access to this area.</p>

Commenting on documents using the Message Stream task pane

When viewing a spreadsheet Axiom file within the Desktop Client, you can view comments that other users have made about the document and also make comments about the document. New comments are stored in the message stream for that document, so that all other users who access the document can see the comment. Additionally, you can "tag" other users in the comment, so that the tagged users are notified about the comment.


You can view comments and add comments using the Message Stream task pane. This is a system-controlled task pane that automatically opens for eligible documents.

NOTES:

- The message stream is only available for documents where it has been enabled.
- The message stream is also available for Axiom forms that are open within the Desktop Client, using the **Message Stream** panel. This panel is accessible from the task bar displayed across the top of the form.

► Viewing the message stream

To view the message stream for the current document, click the **Message Stream** tab to display the task pane in the Axiom Assistant sidebar. This task pane shows all comments that have been made about the document.



Example message stream

Comments are displayed in the order they were made, with the most recent comment shown at the top of the panel. Each comment shows when the comment was made and the user who made it.


To view the full text and details of a comment, hover your cursor over the comment so that the > symbol displays on the right-hand side of the comment. Click the symbol to open a separate **Comment Details** dialog with the full comment text.

Once the message stream has been loaded for the current document, it is only updated automatically after you add a new comment. If necessary, you can manually refresh the task pane to see if any other users have made comments during the current file session.

Comments are stored for the life of the document, and cannot be deleted.

► Adding a comment

To add a comment, click **Add Comment** at the top of the Message Stream task pane. In the **Add Comment** dialog, you can define an optional title for the comment, and then define the comment text. Basic text formatting of bold, italic, and underline can be used.



If desired, you can "tag" one or more users in the comment, so that those users are notified about the comment. Any user tagged in the comment will receive an email that contains the content of the comment and a link to the document. To tag a user, use the **Tag user** box to find a user and insert the tag. You can type into the box to find a specific user, or select a user from the drop-down list. When you click on a user name in the list, a tag will be inserted at the current cursor point in the comment text. The tag displays as *@FirstName LastName*.

When you click **Post**, the comment is saved to the message stream, and any tagged users will be notified.

NOTES:

- All users with access to the document can see comments posted to the message stream. Any comments made should be appropriate for the entire document audience. Do not post any sensitive information to the message stream.
- Adding a comment automatically subscribes you to the document's message stream, and tagging a user automatically subscribes that user to the document's message stream.

► Ongoing notifications (subscriptions)

If you have made a comment in a document's message stream, or if you have been tagged in a comment, you are now subscribed to that document's message stream. Whenever a new comment is made to that document's message stream, you will receive a notification in the Notifications task pane.

The notification details the user who made the comment and when it was made, the text of the comment, and a link to open the file.

Currently it is not possible to unsubscribe from a document's message stream once you have been subscribed.


Viewing and completing process tasks using the Process task pane

The Process Management feature can be used to manage and track any Axiom-related process. A process is a series of defined steps that represent the tasks to be completed. If you are the assigned owner of a step in a process, then it is your responsibility to perform the necessary task and mark the step as complete by the specified due date. You can do this by using the Process task pane.

The Process task pane displays in the Desktop Client automatically when you are the owner of an active step in a process. The task pane displays one or more processes in which you have active tasks. The process summary displays the process name and the number of active tasks you have in the process.

NOTE: The Process task pane is available by default, but may be disabled or customized in your system. If you are an administrator and you want to configure the availability of the Process task pane, see the *System Administration Guide*.

To view your active tasks in a process, click the arrow button on the left-hand side to expand the process (or double-click the process summary). Your active task(s) are listed underneath. For each task you can see the step name, the due date, and any additional details about the step. The following screenshot shows an example Process task pane with an active task:



Using the Process task pane, you can do the following:

- **Open associated files and features:** Some tasks may have a link to an associated file or feature, to help you perform the task. Other tasks do not have these links. If no link is present, then you will need to manually navigate to any file or feature needed to perform the task.
- **Complete the step:** When you have finished your task, you must mark the step as complete. In most cases you do this by clicking **Mark step as complete**.







However, there is also a special type of step known as an "approval step." In this case you must indicate whether you approve the process to continue by clicking either **Approve** or **Reject**.





Approve means that the process will move to the next step, and Reject means that the process will return to a prior step.

- **View the entire process:** By default, only your active step is shown in the task pane. In some cases, you may have the option to view all steps in the process, so that you can see how your active step relates to the overall process. If this option is present in the task pane, then click **Show process view** to see all steps in the process, including previously completed steps and steps to be performed in the future. This view is for information only; you cannot complete steps in Process View. To return to Task View, click **Show task view**. Process View is only available to step owners if the process has been configured to allow access to it.

► Step types

Each step listed in the Process task pane has an icon that indicates what type of step it is.

Icon	Step Type	Description
	Approval	This step requires you to approve the process to continue to the next step, or reject the process to return it to a prior step.
	Edit Plan File	This step requires you to work on a plan file.
	File Group	This step requires you to perform a task on a file group.
	Generic	This step can require you to perform any kind of task.
	Import	This step requires you to perform a task on an import.
	Multiple Approvals	<p>This step is a Multiple Approvals Step, which means that all the sub-steps underneath it can be performed in any order instead of sequentially. You may be responsible for one or more sub-steps of the subprocess.</p> <p>NOTE: This icon only displays in Process View, where you can see the parent step as well as all sub-steps. Parent steps do not display in Task View; only currently active sub-steps show.</p>

Icon	Step Type	Description
	Parallel Subprocess	<p>This step is a Parallel Subprocess, which means that all the sub-steps underneath it can be performed in any order instead of sequentially. You may be responsible for one or more sub-steps of the subprocess.</p> <p>NOTE: This icon only displays in Process View, where you can see the parent step as well as all sub-steps. Parent steps do not display in Task View; only currently active sub-steps show.</p>
	Report	This step requires you to perform a task on a report.
	Scheduler	<p>This step automatically runs a designated Scheduler job. The status of the job displays in the task pane for your information only. Under normal circumstances, you do not need to do anything to complete this step, all job processing and step completion occurs automatically.</p>
	Table	This step requires you to perform a task on a table.

With the exception of the Scheduler step type, keep in mind that Axiom does not automate any of the tasks. Although a file or feature may be associated with a step, it is still up to you to use that file or feature as necessary to perform the task. Other tasks may not be associated with any file or feature, and it is up to you to perform the task as necessary.


If you are unclear what needs to be done to perform the task, make sure to review the step description (in the step tooltip) and then contact your system administrator if you have any further questions.


► Completing steps


To complete a step, click **Mark step as complete** (or click **Approve / Reject** if the step is an approval step). This opens the **Process Action** dialog.



The diagram at the top of the dialog shows the current step, the next step, and the previous step (when rejecting only). If you are completing or approving the current step, the process will move forward to the next step. If you are rejecting the current step, the process will move back to a prior step.


If desired, you can enter a comment into the **Comment** box (up to 1000 characters). This comment will be saved in the process history, and in most cases will also be included in the notification to the next step owner (if notifications are enabled).



 Process Action



 Mark process step as completed in process 'Monthly Updates'.

Current Step
 Import monthly actuals
 Jane Doe (jdoe)



Next Step
 Run tie out report
 Wendy Hunter

Comment Any comment will be stored with the process and included in notifications to the next step owner.

1000 characters remaining

OK

Cancel

NOTES:


- If the step you are completing is a child approval step of a multiple approvals step, then the "next step" is the top-level step that comes after the multiple approvals step. However, there may still be other active child approval steps that need to be completed before the process moves to that next top-level step. If you approve the step and enter a comment, the comment will be included in the notification to the next step owner once all of the child steps are complete.
- If the step you are rejecting allows the step owner to select the return step, then the Previous Step section displays a drop-down list of the available return steps. You must select the step that you want the plan file to return to.
- If the step you are completing is part of a parallel subprocess, then only the current step displays at the top of the dialog. This is because the parallel steps can be completed in any order, and completing the current step will not necessarily move the process to the next step (that will only happen when all of the parallel steps are complete). In this situation, any comment entered is only saved in the process history, it is not included in an email to the next step owner.
- If the step you are completing is a File Group step that involved cloning a file group, and the new file group is referenced by subsequent steps, then you must specify the name of the file group that was created as a result of the step. Axiom will attempt to guess the correct file group; if the guess is not correct then you can use the drop-down list in the step completion dialog to specify the correct file group. The dialog will only list clones of the target file group for the step.
- If you are the assigned owner of a Scheduler Process Step, then by default you do not need to do anything to complete the step—it will be completed automatically if the Scheduler job processes without error. However, if the job experiences errors then you will have the options to **Restart scheduled job** (assuming that the issue that caused the error has been resolved) or to **Mark step as complete** (assuming that the job does not need to be run again in order to consider the step completed).


If the step you completed was your only active task, then the Process task pane will be empty for the remainder of the current session, and will not open the next time you log in (unless you have been assigned a new active task). The task pane will remain open if you have other active tasks in this process or another process, or if you are an administrator. The Process task pane is available to administrators as long as any processes are active.



► Completing steps for multiple plan files

If the process is a plan file process, then the steps in the process are performed for each individual plan file in the file group. In this case, you may be responsible for completing the task for multiple plan files.



If you are responsible for multiple plan files, then those files are listed with check boxes in the **Process Action** dialog. You can select one or more check boxes to complete the step for those plan files.

 Process Action ✕

 Mark process step as completed in process 'Budget Process'.

Current Step
 Initial Submission
 Jane Doe

→

Next Step
 Management Approval
 Wendy Hunter

Complete step for: (1 of 2 selected) [Select All](#) [Clear All](#)

☒ Dept 40000 (Los Angeles - Store 34)
☐ Dept 40500 (West Coast Distribution)

Comment Any comment will be stored with the process and included in notifications to the next step owner.


Travel budget is higher than expected due to sales conference.

938 characters remaining

OK Cancel

► Administrator features

If you are an administrator, then by default the task pane shows all active processes for which you have an active task, as well as all active processes for which you are the process owner. If desired, you also have the option to change the view to show all active processes. At the top of the task pane, use the **Show all processes** toggle to see all active processes. To go back to only viewing your processes, click **Show my processes only**.




Administrators and process owners can also perform the following actions in the task pane:

- Click **View status** to view the Process Status dialog for the process.
- Right-click a process and select **Stop Process** to stop the process.
- Toggle between **Show process view** and **Show task view**. However, if you do not currently have any active tasks in the process, then you can only use Process View.

Viewing notifications using the Notifications task pane

If you receive an Axiom notification, the notification displays in the Notifications task pane. This is a system-controlled task pane that is always available in the Desktop Client if you have notifications. Click the **Notifications** tab in the Axiom Assistant area to view the task pane.



Example Notifications task pane

If you have unread notifications when you first log in, or if you receive new notifications during a current session, the Notifications tab will flash orange and remain that color until you click on the tab. Unread notifications display in bold text. Once a notification has been read, the bolding is removed.

Notifications can come from the following sources:




- **Alert notifications.** Your system administrators and other power users may have set up alerts to monitor certain alertable conditions and then notify specified users.
- **Process management notifications.** These notifications result from active processes in process management, such as to inform you that you have a new task in the process.
- **Message stream notifications.** If you have subscribed to a document's message stream, you will be notified of any new comments made about that document.
- **Axiom system processes such as Process Plan Files.** If you have triggered certain system processes, Axiom will notify you when the process is completed or when errors occur.
- **Scheduler jobs.** If you have run a Scheduler job manually and that job is configured to send notifications, you will be notified when the job completes or errors (depending on the notification configuration).

NOTES:

- The Notifications task pane is a system-controlled task pane; you cannot hide or show this task pane manually. The Notifications task pane always displays on startup if you have any active notifications (read or unread). Otherwise, it does not display. If you receive a new notification during a session and the task pane is not already open, this will cause the task pane to open.
- All notifications displayed in the Notifications task pane are also available in the Notifications panel of the Axiom Web Client. Both areas read from the same source of notifications, and edit the same source as well. So if you read a notification in one area, or delete a notification from one area, the other area will reflect these changes.

► Reviewing notifications

Within the task pane, notifications are listed in the order they were created, with the newest notifications at the top. Each notification displays a severity icon and an alert title, as well as how old the notification is. The following severity icons are used:

-  Info
-  Warning
-  Error

To read the notification text, double-click the notification to expand it. The text should provide you with more information about the notification and why you are receiving it. You can double-click the notification again to collapse it.

If the notification is from an alert, then the alert creator may have specified a document that you can open to see more information about the alert condition. If so, then you will see an **Open** link underneath the message text when you expand the notification. Click this link to open the associated document.

► Notification actions

You can select one or more notifications and then right-click to perform the following additional actions:


- **Mark Read:** Mark the selected notifications as read.
- **Mark Unread:** Mark the selected notifications as unread.
- **GoTo Alert Definition:** Open the source document for the alert, if you have permission to access the file. You will be taken directly to the specific alert definition that generated the notification.
- **Delete:** Remove the selected notifications from the pane. Once a notification has been removed from the pane, you cannot undo this action.

Notifications will remain in the list until you remove them, or until they are deleted by the system purge job. By default, the system purge job deletes alerts and notifications older than 60 days.

Managing favorites

You can save Axiom files and other items as favorites, for quick access to commonly used items. In the Desktop Client, your favorites list is available in the following locations:

- The Explorer task pane in the Axiom Assistant area
- The Axiom Explorer dialog (if you have permission to access this dialog)



When an item is saved to favorites, you can open the item by double-clicking it, or you can right-click it to access any other commands that would be available on the item in its native area. For example, if you have rights to the Table Library and you save a table as a favorite, you can right-click the table favorite and perform actions such as editing the table structure.

If an item that a favorite points to is deleted, then the favorite becomes invalid and a red arrow icon displays next to it. If you attempt to open an invalid favorite, a message box informs you that the item has been deleted, and asks whether you want to delete the favorite. If a file is moved or renamed within the Axiom file system, but it retains the same document ID, then the shortcut will not be broken.

► Saving and deleting favorites

You can save an item as a favorite in one of the following ways:

- In the **Explorer** task pane and the **Axiom Explorer** dialog, you can right-click an item and select **Add to Favorites**.
- When a file is open, you can right-click the file tab and select **Add to Favorites**.

The item is saved as a favorite and now displays in your Favorites list. If the file was open when you saved it as a favorite, it displays using the file tab name. If needed, you can change the display name by editing the shortcut properties for the favorite.

TIP: If you open a table using **Open Table in Spreadsheet**, and then save the open table as a favorite (using the file tabs), the settings you used will be automatically saved as part of the favorite, in the shortcut properties. You may want to rename the favorite to indicate the particular settings (for example: GL2022 - Filtered for North Region).

NOTE: If a web-enabled file is saved as a favorite in the Desktop Client, that favorite will also display in the Web Client. This includes Axiom forms and web reports. All other types of favorites do not display in the Web Client.

To delete a favorite, right-click the item and then select **Delete**.

► Organizing favorites

You can create sub-folders in the Favorites area to organize favorites by folder. To create a new folder, right-click **Favorites** and select **New Folder**.

By default, favorites are displayed in the order that they were added (new favorites are added to the bottom of the list). You can drag and drop individual favorites to change the order. Sub-folders cannot be reordered—they will always display in alphabetical order.

To rename a favorite, right-click the item and then select **Rename**. The name becomes editable, and you can type a new name.

► Shortcut properties

You can edit the shortcut properties for a favorite. Right-click the favorite and select **Shortcut Properties**. In this dialog, you can edit the shortcut name, change the shortcut target, and define certain shortcut properties.

The available shortcut properties vary by file type. For example, you can configure a report favorite to always open as read-only, or to automatically apply a Quick Filter when opening.

► Using web favorites in the Desktop Client

If you save a favorite in the Web Client, that favorite also displays in the Desktop Client favorites list. You can double-click the web favorite to open it in the Web Client browser.

When a favorite is saved in the Web Client, it is stored as a URL instead of a document shortcut. If the target of the favorite is later deleted, the favorite does not show as invalid in the Desktop Client. If you try to use the favorite, you are informed that the document or page cannot be found. In this case you must manually delete the favorite.

Opening recent files

Axiom maintains a list of your recently opened files in the Desktop Client. You can use this list for quick access to recent files.

The recent file list is located in the **My Files** section of the Explorer task pane and Axiom Explorer. You can double-click files to open them, or right-click to access the context menu for the file type. Recent files are listed using the file tab name that they were opened with, which may or may not be the same as the file name.

The list displays the last 15 files that you recently opened. Note the following:

- If you want to clear the list, right-click **Recent** and select **Clear History**.
- If you want to continue to have quick access to a recent file, you can add it to your favorites. Right-click the file and select **Add to favorites**.
- If the icon next to a file name is a red arrow, this means that the file has been moved or deleted since you accessed it, so it can no longer be opened from the recent file list.

In the Axiom Windows Client only, recent files can also be accessed from the **File** menu. In the Axiom Excel Client, although your recent files are tracked in **File > Recent**, those links point to the temporary versions of the file stored on your local drive, not the source versions of the files stored in the Axiom database. Therefore, Excel's recent file list cannot be used to open Axiom files.

Changing your Axiom password

If your authentication method is Axiom Prompt, you can change your password as needed using the Desktop Client. This feature does not apply to users who are using any other authentication method (such as Windows User Authentication), because those passwords are controlled externally from Axiom.

To change your password:

1. On the **Axiom** tab, in the **Help** group, click **Help > Change Password**.

NOTE: In systems with installed products, this feature may be located on the **Main** or **Admin** tab.

This command is only available to Axiom Prompt users.

2. In the **Set Password** dialog, enter your current password, then enter and confirm your new password.

If password rules are being enforced, your password must meet the rules. A validation message will inform you of the rules if necessary. Alternatively you can click **Generate Password** to auto-generate a password that meets the rules. If you do this, make sure to note the generated password because you will not have another opportunity to see it. If you do not note the password and cannot log in later, an administrator will need to reset your password.

3. Click **OK**.

Your password is now changed. You will need to use this new password the next time that you log in.

Closing Axiom

When you close Axiom, you will be prompted to save any changed but unsaved files.

To close the Desktop Client:

- Click the **Close Axiom Software** button in the **Exit** group of the **Axiom** tab.

NOTE: In systems with installed products, this button may be located on the **Main** or **Admin** tab.

You can also close the application by clicking the **X** button in the top right-hand corner of the application window.

If you are using the Axiom Excel Client, there is no option to close Axiom but leave the current Microsoft Excel session open. Keep in mind that it is not necessary to close Axiom in order to work on a regular Excel file. You can open regular Excel files within Axiom, or you can open a second Excel session.

Using Plan Files


Plan files are used to develop planning data and save that data to the database. This section explains the basic concepts behind plan files and how to use them in the Desktop Client.

This section is intended for end users working with existing plan files, to develop and review plans. If you have rights to administer file groups and their components, see the *File Group Administration Guide* and the *Axiom File Setup Guide*.

In addition to the plan-specific functionality detailed in this section, you can use standard Axiom file features and tools. Plan files use the same functionality as other Axiom files to perform actions such as changing views or navigating to file bookmarks. For more information, see [Using Axiom File Features](#).

About plan files

Using plan files, you can develop planning data for your responsibility areas and save that data to the database.



Example data flow for planning data

Each plan file is created as a copy of an assigned template. Once the plan file is created, it is populated with data and calculations that are unique to the particular plan code. Depending on the design of the plan file, you can then perform activities such as inputting data, adding comments, and inserting new rows as needed. When you save, data from the plan file is saved to the appropriate tables in the database, where the data can then be used in reports.

Plan files are associated with a *file group*, which is a set of files supporting a specific planning effort. You may have access to multiple file groups.

Your organization may use file groups to manage multiple planning processes (for example, a "Budget" file group and a "Forecast" file group), and/or each file group may represent a specific planning cycle (for example, the "2022 Budget" file group). If you have any questions regarding the purpose of each file group, please contact your system administrator.

Typically, there is a plan file for each plan code within the designated planning dimension for the file group. For example, budgets are typically done at a department level, but forecasts are often done at a divisional or regional level. The Budget file group would have a plan file for each department, and the Forecast file group would have a plan file for each division. However, planning can be performed at any level.

► Plan file structure

Plan files may be spreadsheet-based or browser-based:

- Spreadsheet-based plan files are Microsoft Excel spreadsheets that are managed and enhanced by Axiom. You can use spreadsheet features within the plan file, within the limits of the sheet protections applied to the plan file. Plan files can have multiple sheets. For example, a plan file might have an Instructions sheet, a Budget sheet, and a Payroll sheet.
- Browser-based plan files are interactive web pages designed to meet a particular planning need. You can access these plan files within the Axiom Windows Client or within your web browser (the Web Client). These plan files are typically organized into multiple tabs, so that you can move between different areas of the plan file by clicking the tabs. Browser-based plan files are created by using a special type of Axiom file called an Axiom form.

Plan files are designed to meet your organization's particular planning needs, and vary from system to system. If you have any questions about the contents of a plan file, contact your system administrator.

For the most part, the information in this guide assumes that you are using spreadsheet-based plan files within the Axiom Excel Client or the Axiom Windows Client. Spreadsheet-based plan files use a standard set of features to perform actions such as inserting new rows, changing views, and navigating to different areas of the plan file. Browser-based plan files support greater customization of the user interface, so that the way in which users interact with the plan file can differ greatly depending on the file design.

► Calc method libraries

Each sheet in your plan file may have access to a *calc method library*. Calc method libraries contain sets of predefined rows that define the formatting and calculations for rows in your plan. You can use these calc method libraries to insert new rows into your plan, or to change the calculations used on existing rows of your plan. See [Adding or changing rows in a plan file](#).

► Plan file access

You have been granted rights to access certain file groups and certain plan files within those file groups. You can open those plan files according to the level of access you have been assigned in Security (for example, read-only or read/write).

Plan files can also be part of a *plan file process*. In this case the planning cycle has a defined set of steps, and each plan file has a designated owner for each step. If you are assigned as an owner, this means it is your responsibility to complete the current "task" in the process. This may mean editing the plan file or reviewing it, depending on the current step. Axiom may "elevate" your access rights to the plan file as necessary so that you can complete this task. For example, if you normally have read-only access to plan files, but you are the assigned owner of a plan file in an edit step, then you will be temporarily granted edit rights so that you can complete the task.


Opening a plan file

In the Desktop Client, plan files are accessed from the **File Groups** group on the **Axiom** tab, or in the Explorer task pane. Your security settings determine what file groups you have access to, and which plan files you can access within the file group. Your access rights to each plan file (read-only or read/write) are determined by a combination of your security settings and whether you are the current owner of the plan file in an active plan file process.

NOTE: The names of the file groups and how they are presented to you is determined by your organization. Although the default presentation is on the File Groups group of the Axiom tab, your organization may decide to customize the group name or location, or present file groups in a custom ribbon tab or task pane. Plan files may also be accessible via the Process task pane. Contact your system administrator if you have any questions about how to access your plan files.

To open a plan file:

1. On the **Axiom** tab, in the **File Groups** group, click the name of the file group that you want to work with. The following screenshot shows some example file group buttons:



If you have access to any file group administration features, then clicking on the file group button will bring up a menu with your options. In this case, you must click **Open Plan Files** in order to open a plan file. If you do not have access to any file group administration features, then clicking on the file group button automatically launches the Open Plan Files dialog.

File groups can be organized into categories. In that case, click the category name to open a sub-menu with the list of file groups in the category, and then click the desired file group name.

TIP: You can also open plan files from the file groups listed in the Explorer task pane.

2. In the **Open Plan Files** dialog, select the file that you want to open, and then click **OK**.

This dialog lists all plan files available to you based on your Security settings. If you have previously opened a plan file within this session, that plan file will be selected by default when you enter the dialog (unless the dialog displays plan files in groupings, in which case previous selections are not retained).

The search box at the top of the dialog can be used to quickly find a particular plan file. The file group administrator determines which plan file properties are included in this search, but by default the plan code and description are searchable. You can also sort and filter the list using standard Axiom grid functionality.

TIP: If you have read/write permissions to a file but you want to open it as read-only to prevent locking the file from other users, right-click your selection and then select **Open Read Only**.

If the dialog is empty, then either you do not have access to any plan files in the file group, or the plan files have not yet been created for the plan codes that you have rights to.

The selected plan file opens. If the file was opened read-only, then the text **(R/O)** displays in the file tab. Read-only plan files cannot be saved.

NOTE: If another user has the plan file open with read/write permissions, then the file will be opened as read-only, regardless of your security permissions.

If the plan file is form-enabled, it opens as a web form either within the current client (Windows Client only) or in the Web Client browser. When using Axiom forms, the form is always opened as read-only, and any save processes are for saving data to the database only. The functionality available in an Axiom form is solely dependent on how the form is configured. If you have any questions about the use and features of a web-enabled form, contact your system administrator.

Advanced options

The following advanced options in this dialog are generally only available to administrators:

- If you want to open a plan file without refreshing Axiom queries that are configured to refresh on open, right-click the file and then select **Open Without Refresh**. Generally, you should only do this if you are opening the file for troubleshooting purposes or to edit its configuration only.
- If no plan files have been created for this file group, and you have rights to create plan files, then a link appears in the blank plan file list: **Create Plan Files for File Group**. You can click this link to open the **Create Plan Files** dialog.
- If you want to see plan codes that do not yet have a plan file, select **Show Plan Files that have not been created**. This is for reference only; you cannot create individual plan files from this dialog.
- If the plan file is form-enabled and you want to open it as the source spreadsheet file instead of as the web form, select **Open as Spreadsheet**. This option is available to all users.

Creating a plan file

Some file groups may be set up so that users can create plan files on demand. Typically this configuration is used for planning processes where the list of projects or initiatives to be planned for is not known in advance, such as capital project planning or strategic planning. Instead of planning based on a predefined list of items (such as budgeting based on departments), users can create plan files as they are needed.

NOTE: The ability to create a plan file "on demand" is only available if the file group meets certain requirements and the feature has been enabled in the file group properties. For more information on using this feature with a file group, see the *File Group Administration Guide*. For other file groups, end users do not create plan files; instead, an administrator creates the plan files using the **Create Plan Files** utility.

This topic discusses the default method of creating new on-demand plan files in the Desktop Client. Your system may be configured to create new plan files in different ways, such as from a custom task pane, or using an Axiom form.

To create a plan file on demand:

1. On the **Axiom** tab, in the **File Group** group, click the button for the file group where you want to create a new plan file.


The **Open Plan Files** dialog opens.

2. To create the plan file, you can create it based on the plan file template, or you can clone an existing plan file. Use the commands in the top right-hand corner of the dialog, above the list of existing plan files:

- To create a new plan file based on the template, click the plus icon **+**.

The name of this command is configurable for the file group. For example, the command may say "Create plan file," or "Create new project," or "Add strategic initiative."

- To clone an existing plan file to create a new plan file, select the plan file that you want to clone, and then click **Clone selected item**.



These commands are not available for file groups where the on-demand feature has not been enabled.

3. Before the plan file is created, you may be prompted to select certain values relating to your new plan file, such as specifying a department. Complete the inputs as appropriate and then click **OK**.

The new plan file is created, and opens in Axiom. You can now complete any necessary inputs and changes, and then click **Save** to save it.

If you cloned an existing plan file, any inputs in the existing plan file are also included in the new file. You may need to change these entries as appropriate for the new file.

NOTES:

- If you do not have the necessary security permissions to create new plan files in an on-demand file group, then the options to "create new" or "clone existing" do not display in the dialog.
- The "clone existing" feature can be disabled at the file group level; in which case the option does not display in the dialog.

Editing a plan file

When you open a plan file, the level of edit rights depends on the combination of your security settings and whether you are the current owner of the plan file in an active plan file process. For example, you may normally have read-only access to the plan file, but when you are the step owner for an Edit Plan

File task in a plan file process, you are temporarily granted read/write access.

If you have edit rights to a plan file, note the following:

- Plan files are typically designed so that editable cells are shaded or otherwise marked as available for edit. If a cell is editable, you can input values directly, or use Excel formulas to result in a value. All other areas of the sheet are typically protected and cannot be changed.
- Some cells may use Data Validation to present a list of choices. In this case you can use the drop-down list to select your desired choice.
- Depending on your security rights, you may be able to add new rows to the plan, or change the calculations used on existing rows. For more information, see [Adding or changing rows in a plan file](#).
- If your plan files support it, you may be able to double-click on a row of the plan to bring up an input form for that row. The input form contains key settings for the row that you can change.

Plan file design is completely flexible and is set up to meet the needs of your organization. If you have any questions about the design of your plan files, contact your Axiom system administrator.

When you have finished making edits to the plan file, you can click **Save** to save the changes and to save your data to the database. For more information, see [Saving a plan file](#).

Adding or changing rows in a plan file

Calc method libraries store sets of predefined calculation methods that define the formatting and formulas for rows in your plan file. You can use calc methods to:

- **Add a new row (or rows) to your plan.**

When plan files are created, they may only be populated with accounts that have historical data. You may need to use calc methods to add an account to your plan if you did not plan for that account last year. You can also use calc methods to add new items to your plan, such as new employees or new capital items.

- **Change the calculations used in an existing row in your plan.**

Using the calc method "change" option, you can change the calculations used on existing rows of your plan by applying a different calc method to that row. For example, imagine that the default calculation for an account is to spread a total amount evenly across months, but for your plan code it would be more appropriate to use a monthly statistic to spread the total.

Calc methods can be used even when the sheet is protected.

Adding rows to a plan file

You can insert new rows into your plan file using *calc methods*. A calc method is a predefined row (or rows) that defines the formatting and formulas to be applied to a row. For example, you may need to:

- Add an account that is not currently in the plan file
- Add a new employee
- Add additional detail lines, if you are planning for certain accounts at the detail level

After a calc method is inserted, you need to complete the new row(s) with the appropriate information. For example, you may need to enter an account number, or input plan values. The calc method may use a form to help you complete some of these inputs.

You can only insert calc methods if you have the appropriate security permissions. The ability to insert calc methods is controlled on a per file group basis, using the **Allow Calc Method Insert** permission. Additionally, administrators and users with the **Manage Calc Methods** permission can always insert calc methods.

Additionally, most plan files are set up to use calc method controls. If you have the necessary security permissions to insert calc methods, then these controls further specify where calc methods can be inserted, and which calc methods can be used at each location.

There are several different ways to add a new row to a plan file. The methods available to you depend on how your plan files have been set up by your administrator:

- You can use *custom insertion points* to automatically add new rows to the appropriate locations throughout the plan file.
- You can double-click on designated rows within a sheet to add new rows at that location.
- If the plan file does not use either of the above methods, or if you are a calc method administrator who can add rows anywhere in the file, then you can add new rows manually.

► Adding a row using a custom insertion point

Plan files may be set up with *custom insertion points*. These points are intended to guide you to the appropriate places to add new rows to a plan file. Custom insertion points are available on the **Add Row (s) > Custom Inserts** menu.

There are two different types of custom insertion points: dynamic and static. Plan files may use only dynamic insertion points, only static insertion points, or a combination of both.

- When using a dynamic insertion point, you select the item that you want to add to the plan file (such as an account), and then the insertion controls dynamically determine where the account should be added. If the account already exists in the file, you are taken to the relevant row.
- When using a static insertion point, you select from one or more specific areas in the plan file that are enabled for insertion, and then add the new row in that selected location.

The Custom Inserts menu shows all insertion points defined within the file (not just for the active sheet). When you select an insertion point, you may be taken to another sheet in the file.


The Custom Inserts menu is only available if you have the appropriate security permissions to insert calc methods.

To insert new rows using a custom insertion point:


1. On the **Axiom** tab, in the **File Options** group, click **Add Row(s)**. Then, select the desired insertion point from the **Custom Inserts** menu.

TIP: You can also access this menu by right-clicking anywhere in a plan file (**Calc Methods > Custom Insert**).

Dynamic insertion points are single items on the menu. For example, there might be a dynamic insertion point named **Update an account**:




Static insertion points are organized into sub-menus. For example, there might be sub-menu named **Add a new employee**, which contains two insertion points: **Hourly** and **Salary**.



2. The next step depends on whether you have selected a dynamic insertion point or a static insertion point:
 - If you have selected a dynamic insertion point, the **Choose Value** dialog opens. Select the desired item that you want to add to the plan file, and then click **OK**. For example, the dialog may display a list of accounts, in which case you would select the account that you want to add.

If the selected item already exists in the relevant sheet and no further calc methods can be inserted for it, then you are simply taken to the location of the existing item. The dynamic insertion process is now complete. Otherwise, the dynamic insertion process determines where the selected item can be added, and moves your cursor to that location.
 - If you have selected a static insertion point, your cursor is moved to the location that corresponds with the selected insertion point.
3. One of the following occurs, depending on whether multiple calc methods are eligible to be inserted at this location:

- **Multiple calc methods:** If more than one calc method can be inserted at this location, then the **Insert Calc Method** dialog opens. Select the calc method that you want to insert, and then click **OK**.



Example Insert Calc Method dialog


The available calc methods are listed in the left-hand side of the dialog. When you select a calc method name, the properties of that calc method display in the right-hand side of the dialog, including a description. If you are not sure which calc method to use, the descriptions may provide guidance.

If you want to insert multiple instances of the calc method, edit the **Number of items to insert**. By default, this is set to 1. For example, you may need to add two new employees to a payroll budget, and both employees use the same calc method. In this case you can set **Number of items to insert** to 2. The number of items that you can insert at any one time may be limited to a certain maximum amount.

NOTE: The calc methods in this list are always limited to the calc methods allowed at this location. If you are an administrator or a user with the **Manage Calc Methods** permission, and you want to insert a different calc method at this location, you must insert it manually.

- **Single calc method:** If only one calc method can be inserted at this location, then that calc method is selected automatically, and the **Insert Calc Method** dialog does not display.

If this location is configured to allow you to insert multiple instances of the calc method, then you are prompted to specify the number of items to insert. Enter the number of items (up to the specified maximum) and then click **OK**.



4. If the selected calc method has defined variables, then the **Calc Method Variables** dialog displays. Enter values for the variables, and then click **OK**.

The values that you enter for the variables will be placed in the appropriate cells when the calc method is inserted into the sheet.

This dialog only applies if the calc method has defined variables. Otherwise, this dialog does not display and the calc method is simply inserted into the sheet.


NOTES:

- If your plan files have been configured to support double-click for calc method variables, you can open this dialog again later by double-clicking the calc method in the sheet. You can then change any entries as needed. Keep in mind that some variables may be set up so that they only display when inserting, such as the variable for selecting an account.
- If you are inserting multiple instances of the calc method, the selected values will be repeated in each inserted calc method. Most likely you will need to edit the calc methods after they are inserted to select unique values for each item.

After the calc method is inserted into the sheet, you may have inputs to complete. For example, you may need to input an annual total to be spread equally across months or according to a statistic.

► **Adding a row by double-clicking**


Plan files can be set up to allow adding new rows by double-clicking in designated locations. These locations will be designated in the sheet using text such as: "Add new row here" or "Double-click to add a new account." The specific text used and how it appears depends on your particular implementation.

41500 New York Warehouse	
Current View: Standard view	
Account	
Overhead	
5600	Rent Expense
7200	Catering
8700	Telephone
8800	Freight
8900	Supplies
9200	Depreciation and Amortization
	<<Double-click to add new account>>
Total Overhead	

Example plan file with a double-click "hotspot" for adding rows

To add a new row by double-clicking:

1. Double-click on the cell which contains the insertion text.
2. One of the following occurs, depending on whether more than one calc method can be inserted at this location:
 - **Multiple calc methods:** If more than one calc method can be inserted at this location, then the Insert Calc Method dialog opens. Select the calc method that you want to insert, and then click **OK**.



Example Insert Calc Method dialog


The available calc methods are listed in the left-hand side of the dialog. When you select a calc method name, the properties of that calc method display in the right-hand side of the dialog, including a description. If you are not sure which calc method to use, the descriptions may provide guidance.

If you want to insert multiple instances of the calc method, edit the **Number of items to insert**. By default, this is set to 1. For example, you may need to add two new employees to a payroll budget, and both employees use the same calc method. In this case you can set **Number of items to insert** to 2. The number of items that you can insert at any one time may be limited to a certain maximum amount.

NOTE: The calc methods in this list are always limited to the calc methods allowed at this location. If you are an administrator or a user with the **Manage Calc Methods** permission, and you want to insert a different calc method at this location, you must insert it manually using the **Add Row(s)** menu.

- **Single calc method:** If only one calc method can be inserted at this location, then that calc method is selected automatically, and the **Insert Calc Method** dialog does not display.

If this location is configured to allow you to insert multiple instances of the calc method, then you are prompted to specify the number of items to insert. Enter the number of items (up to the specified maximum) and then click **OK**.



3. If the selected calc method has defined variables, then the **Calc Method Variables** dialog displays. Enter values for the variables, and then click **OK**.

The values that you enter for the variables will be placed in the appropriate cells when the calc method is inserted into the sheet.

For example, the calc method may have a variable for Account. The account that you select in this dialog will be placed in the account column when the calc method is inserted into the sheet.

This dialog only applies if the calc method has defined variables. Otherwise, this dialog does not display and the calc method is simply inserted into the sheet.

NOTES:

- If your plan files have been configured to support double-click for calc method variables, you can open this dialog again later by double-clicking the calc method in the sheet. You can then change any entries as needed. Keep in mind that some variables may be set up so that they only display when inserting, such as the variable for selecting an account.
- If you are inserting multiple instances of the calc method, the selected values will be repeated in each inserted calc method. Most likely you will need to edit the calc methods after they are inserted to select unique values for each item.

After the calc method is inserted into the sheet, you may have inputs to complete. For example, you may need to input an annual total to be spread equally across months or according to a statistic.

► Adding a row manually

You can add new rows to a plan file manually by placing your cursor in the desired area of the sheet and then using **Add Row(s) > Insert Calc Method(s)**.

This command is only available if you have the appropriate security permissions to insert calc methods. If you have the appropriate permissions, then the availability of the command further depends on the usage of calc method controls in the sheet:

- If calc method controls are used in a sheet, then this option is only available for rows that are enabled to allow calc method insertion. In almost all cases, these are the same rows that are set up with custom insertion points, so it is easiest to use the custom inserts menu to be taken directly to these enabled areas.
- If calc method controls are not used in a sheet, then you can insert calc methods anywhere in the sheet.

Also, if no calc methods have been defined for a sheet, then this command is not available because there are no calc methods that can be inserted.

Administrators and users with the **Manage Calc Methods** permission can insert calc methods manually anywhere in the sheet, regardless of whether calc method controls are being used.

To insert a row manually:

1. Place your cursor in the row directly below where you want the new calc method to be inserted.

NOTE: If you are inserting a calc method on a row that is set up with calc method controls, the location of the insert may be determined by the controls. By default, calc methods are inserted above the current row, but the calc method controls may be configured to insert below the current row.

2. On the **Axiom** tab, in the **File Options** group, click **Add Row(s) > Insert Calc Method(s)**.

If this menu item is not available, then one of the following circumstances applies:

- No calc methods have been defined for the current sheet.
- Calc method controls are being used, and the current row is not enabled for insertion.
- You do not have security permissions to insert calc methods.

3. In the **Insert Calc Method** dialog, select the calc method that you want to insert, and then click **OK**.

The available calc methods are listed in the left-hand side of the dialog. When you select a calc method name, the properties of that calc method display in the right-hand side of the dialog, including a description. If you are not sure which calc method to use, the descriptions may provide guidance.

If you want to insert multiple instances of the calc method, edit the **Number of items to insert**. By default, this is set to 1. For example, you may need to add two new employees to a payroll budget, and both employees use the same calc method. In this case you can set **Number of items to insert** to 2.

NOTES:

- If calc method controls are being used, then the list of calc methods is limited to those allowed by the insertion point. Calc method administrators always see all calc methods when manually inserting a calc method.
- If the selected calc method uses variables, and you do not want to be prompted to enter variable values, you can clear the **Prompt for calc method variables** check box. This option only displays on the dialog if the selected calc method uses variables, and if the user is an administrator or has the **Manage Calc Method** permission.

4. If applicable, in the **Calc Method Variables** dialog, enter values for the calc method variables, and then click **OK**.

If the calc method has variables, then the values you enter for the variables will be placed in the appropriate cells when the calc method is inserted into the sheet.

For example, the calc method may have a variable for Account. The account that you select in this dialog will be placed in the account column when the calc method is inserted into the sheet.

This dialog only applies if the calc method has defined variables. Otherwise, this dialog does not display and the calc method is simply inserted into the sheet.

NOTE: If your plan files have been configured to support double-click for calc method variables, you can open this dialog again later by double-clicking the calc method in the sheet. You can then change any entries as needed. Keep in mind that some variables may be set up so that they only display when inserting, such as the variable for selecting an account.

After the calc method is inserted into the sheet, you may have inputs to complete. For example, you may need to input an annual total to be spread equally across months or according to a statistic.

Changing rows in a plan file

You can change the calculations used on an existing row in a plan file, by overwriting it with a new calc method. You can also use the change feature on multiple-row calc methods.

For example, your plan may have a row that requires monthly entries to calculate an annual total, and you want to change the calculation to instead require a single annual entry that is spread evenly across months.

The change operation does not simply replace the existing row. Certain information in the row may be retained, such as the account number and historical data, depending on how the new calc method has been configured, and whether calc method forms are used. For information on how the change operation replaces the existing row, see [Change calc method rules](#).

You can only change calc methods if you have the appropriate security permissions. The ability to change calc methods is controlled on a per file group basis, using the **Allow Calc Method Change** permission. Additionally, administrators and users with the **Manage Calc Methods** permission can always change calc methods.

Additionally, most plan files are set up to use calc method controls. These controls specify which rows can be overwritten, and which calc methods can be used at each location.

To change a row in a plan file:

1. Place your cursor anywhere in the row (or rows) that you want to change by applying a new calc method.

If the original calc method in the sheet is a multiple-row calc method, it does not matter where you place your cursor, as long as it is within one of the rows of the calc method.

IMPORTANT: This procedure assumes that your system has enabled template validation. Use of template validation allows Axiom to detect specific calc methods in the sheet, based on system-generated codes. If your system is not using template validation, then you must highlight all rows of the multiple-row calc method before you can change it. If you are not sure whether your system uses template validation, please contact your system administrator.

2. On the **Axiom** tab, in the **File Options** group, click **Add Row(s) > Change Calc Method**.

If calc method controls are used in the sheet, then this command is only available if the first row of the selection is enabled for overwriting. If calc method controls are not used in the sheet, then you can change any rows.

Administrators and users with the **Manage Calc Methods** permission can always change calc methods anywhere, regardless of calc method controls.

NOTE: If only one calc method is allowed for changing the row at this location, then the menu command is changed to **Replace with CalcMethodName**. When you select this command, the listed calc method is automatically used for the change operation, and the **Change Calc Method** dialog does not open.

3. In the **Change Calc Method** dialog, select the calc method that you want to use to replace the selected row or rows, and then click **OK**.

The available calc methods are listed in the left-hand side of the dialog. When you select a calc method name, the properties of that calc method display in the right-hand side of the dialog, including a description. If you are not sure which calc method to use, the descriptions may provide guidance.

NOTES:

- The list of calc methods is limited to the allowed calc methods for this location (if applicable). If you are an administrator or a user with the **Manage Calc Methods** permission, then all calc methods are listed.
- If you have selected a calc method with a different number of rows than the original calc method, Axiom informs you of the row difference and asks you to confirm that you want to continue. The sheet will be adjusted accordingly for the additional or fewer rows.

4. If applicable, in the **Calc Method Variables** dialog, enter values for the calc method variables, and then click **OK**.

If the calc method has variables, then the values you enter for the variables will be inserted in the appropriate cells when the calc method is placed into the sheet.

This dialog only applies if the calc method has defined variables. Otherwise, this dialog does not display and the change operation continues.

Calc method variables are an exception to the normal calc method changing rules. If you enter a value for a variable, that value is always placed into the sheet when the calc method is changed. However, if you leave a variable value blank, then the normal change rules apply. Additionally, some calc method variables are set up so that they are only displayed when the calc method is inserted, such as a variable for selecting an account.

NOTE: If your plan files have been configured to support double-click forms, you can open this form again later by double-clicking the calc method in the sheet. You can then change entries as needed.

The selected calc method replaces the selected row or rows.

Multiple-row calc methods and changing rows

You can replace single-row calc methods with multiple-row calc methods, and vice versa. The change operation intelligently deletes rows and inserts rows, depending on the row difference between the original calc method and the new calc method.

- If the new calc method has fewer rows than the original calc method, the additional rows in the sheet are deleted.
- If the new calc method has more rows than the original calc method, additional rows are inserted into the sheet.

For example, if you want to replace a single-row calc method with a five-row calc method, place your cursor in the row with the existing single-row calc method. The change operation replaces the single row with the first row of the five-row calc method, and then inserts four new rows to accommodate the rest of the five-row calc method.

If you want to replace a five-row calc method with a three-row calc method, place your cursor anywhere in the existing five-row calc method. The change operation replaces the first three rows of the five-row calc method with the new calc method, and then deletes the extra two rows in the sheet.

IMPORTANT: This procedure assumes that your system has enabled template validation. Use of template validation allows Axiom to detect specific calc methods in the sheet, based on system-generated codes. If your system is not using template validation, then you must highlight all rows of the multiple-row calc method before you can change it. In the previous example, you would need to manually highlight all five rows of the calc method within the sheet before changing it, because Axiom would be unable to automatically detect the starting and ending rows.

Change calc method rules

End users can replace an existing calc method in the sheet by applying a new calc method, thereby changing the calculations used on the row (or rows).

The following replacement rules apply when using the **Change Calc Method** feature. When creating calc methods, keep these rules in mind so that change operations will work as desired.

The change operation is evaluated on a cell by cell basis. Actions depend on what the new calc method (the calc method replacing the existing calc method) contains in each cell.

If the new calc method contains:	The following action occurs:
A value or a string	<p>The value or string in the new calc method is ignored, and the existing cell value is retained as follows:</p> <ul style="list-style-type: none"> • If the existing calc method contains a value, a string, or is blank, then the existing cell contents are retained as is. • If the existing calc method contains a formula, the value resulting from the formula is retained by using Paste Special – Values. The formula is removed.
Formula	The formula in the new calc method overrides the existing cell contents.
Empty cell	The empty cell in the new calc method overrides the existing cell contents.

NOTE: The normal change rules do not apply to calc method variables. If the new calc method has a variable defined, the variable value specified by the user always overrides the existing cell contents. However, if the user does not specify a variable value (if the variable is not required and the user leaves the entry blank, or if the variable is excluded from the change operation because it is set to **Insert Only**), then the normal change rules apply to that cell.

Refreshing a plan file with data

The **Refresh** feature refreshes spreadsheet Axiom files with data from the database. In plan files, this feature is only available to administrators and to users with the **Run AQs in Plan Files** security permission. This control is to prevent users from inadvertently overwriting plan data when the template is not designed to accommodate data updates.

For spreadsheet plan files, there are two situations where the **Run AQs in Plan Files** security permission is not required to refresh data:

- If an Axiom query is configured to refresh when the file is opened, that refresh will occur for all users, regardless of their security settings. Therefore you may see data updates in the file when it is first opened.
- If the RunAxiomQueryBlock function is present in a sheet, any user can double-click the cell with the function to run a designated Axiom query block, regardless of their security settings.

To refresh a plan file:

- On the **Axiom** tab, in the **File Options** group, click **Refresh**.

This refreshes all sheets in the workbook. If you want to refresh the current sheet only, click the down arrow on the right-hand side of the **Refresh** button, and then click **Refresh Active Sheet**.

In systems with installed products, this feature may be located on the **Main** tab.

You may be prompted to define values before the refresh occurs. If so, these values will be applied to the plan file to impact the data refresh.

TIP: You can also use F9 to refresh the entire workbook, and SHIFT+F9 to refresh only the active sheet.

NOTE: Administrators can use the Refresh command on the **Axiom Designer** tab to perform more targeted refresh actions, such as refreshing only a specific Axiom query.

Adding sheets to an Axiom file

There are two different ways to add sheets to a spreadsheet Axiom file:

- Using normal spreadsheet functionality to add new sheets
- Using the Add New Sheet feature

► Adding sheets using spreadsheet functionality

If workbook protection is not applied to the Axiom file (or if you have permission to remove protection), then you can add new sheets using normal spreadsheet features.

- In either the Windows Client or the Excel Client, you can add sheets as follows: On the **Home** tab, in the **Cells** group, click **Insert > Insert Sheet**.
- In the Excel Client, you can quickly add sheets by clicking the plus icon to the right of the sheet tabs.

Once the sheet is added, you can rename it by double-clicking on the sheet name. It is a good idea to rename the sheet before adding it to the Control Sheet (if applicable).

If workbook protection is applied to the Axiom file and you do not have permission to remove protection, then you cannot add new sheets unless the file is designed to use the **Add New Sheet** feature.


► Adding sheets using Add New Sheet

If your plan files, reports, or utilities have been designed to allow adding new standard sheets, then you can add these sheets using the **Add New Sheet** feature. The new sheet will be created by copying a designated master sheet, which serves as the sheet "template." If the file has multiple master sheets, you will be able to choose the master sheet to copy.

The Add New Sheet feature is only available if the file has one or more designated master sheets. These master sheets must be set up and enabled by the file designer.

To add a new sheet to an Axiom file:

1. On the **Axiom** tab, in the **File Options** group, click **Add New Sheet**.
2. In the **Add New Sheet** dialog, complete the following:
 - **New sheet name:** Type the name of the new sheet. This name cannot be the same as any other sheet in the workbook, including the master sheets. It is recommended to avoid spaces and special characters in the name.
 - **Create from master sheet:** Select the master sheet to copy in order to create the new sheet.



3. Click **OK** to create the new sheet.

The new sheet is placed in the workbook as follows:

- If the workbook already contains copies of the selected master sheet, then the new sheet is placed after (to the right of) the most recently added copy.
- If the workbook does not already contain a copy of the selected master sheet, then the new sheet is placed after the master sheet if it is visible. If the master sheet is not visible, then the copy is placed after the last visible sheet in the workbook.

NOTE: Added sheets cannot be printed using the **Print Plan Files** utility. If you need to print an added sheet, you must do it by using **Print** within the file.

Viewing and managing file attachments for a plan file

Some file groups support the ability to attach supporting files to individual plan files. For example, in a capital planning process, you may want to attach various supporting information about the capital request, and have that information easily reviewable along with the plan file itself.

If you have read/write access to a plan file, then you can add and delete attachments as well as view attachments. If you have read-only access to a plan file, then you can only view existing attachments.

To access the file attachments for a plan file:

1. Open the plan file.
2. On the **Axiom** tab, in the **File Options** group, click **File Attachments**.

NOTE: In systems with installed products, this feature may be available in a different location. It may be located on a different ribbon tab, or in a task pane, or by double-clicking a designated area within the plan file itself.

One of two dialogs will open, depending on your level of rights to the plan file:

- Users with read-only access see the **Browse Attachments** dialog, to view existing attachments.
- Users with read/write access see the **Manage Attachments** dialog, to view and manage attachments.

NOTES:

- The features described in this topic apply to spreadsheet plan files. If you are using browser-based plan files (Axiom forms), the same general functionality is available, but the user interface is different.
- This topic explains how end users can view and manage file attachments for their plan files. If you are an administrator and want to learn more about enabling this feature for file groups and managing it at the file group level, see the *File Group Administration Guide*.

► Browsing file attachments

The **Browse Attachments** dialog lists all current file attachments for the plan file. To open an attachment, select the file in the list and click **Open** (or you can double-click the file).

How the attachment opens depends on the type of attachment. Excel-compatible files will open directly in the current Axiom session, in a new tab. Other file types will open in their native application—such as Word for a DOCX file, or Adobe Reader for a PDF file—assuming that application is present on your computer.

► Managing file attachments

Using the **Manage Attachments** dialog, you can add, delete, and view attachments for a plan file.

- **Adding a file attachment:** Click **Upload Attachment**, and then navigate to the file that you want to add as an attachment. The file will be imported into the Axiom database and associated with the plan file.
- **Deleting a file attachment:** Select the file that you want to delete, and then click **Delete**. The file is deleted from the Axiom database and will no longer be available as an attachment.
- **Renaming a file attachment:** To rename a file attachment, right-click the attachment and then click **Rename**. The name becomes editable and you can type your changes.
- **Editing the attachment description:** To define or edit the description for the file attachment, select the file and then click **Edit Description**.
- **Opening a file attachment:** Select the file that you want to open, and then click **Open** (or you can double-click the file).

If the attachment is an Excel-compatible file that opens within the Axiom session, it will open with read/write access. You can edit the file and save changes if desired.

If the attachment is a Word file or a PowerPoint file, then it opens in its native program with read/write access if the corresponding Axiom add-in is already installed (or if it is successfully installed when the file is opened). You can edit the file and save changes by using the add-in.

If the Word or PowerPoint add-in is not installed, or if the file is some other file type, then you cannot edit and save the file directly. If you need to edit one of these files, you should save a copy of the file locally and make your edits. You can then delete the existing file attachment in the Axiom database, and upload your edited copy.

Saving a plan file

When you save a spreadsheet plan file, the following occurs:

- The plan file is updated in the Axiom file system.
- Data from the file is saved to the Axiom database.

To save a plan file:

- On the **Axiom** tab, in the **File Options** group, click **Save**. (In systems with installed products, this feature may be located on the **Main** tab.)

Before saving data to the database, Axiom performs an Excel calculation to update all formulas in the sheet (including any Axiom functions), and validates the file. If errors are found, the file is still saved but the data save is stopped and errors are displayed in the **Save Errors** pane. These errors must be corrected before data can be saved to the database.

If no errors are found, then the file and data are saved and a confirmation message displays. The confirmation message includes information about the number of records saved (click **Show Details** to see this information if desired).

NOTES:

- Your file group security permissions determine whether you can save a plan file and/or save data to the database.
- If the plan file is active in a plan file process, then your ability to save the plan file may depend on whether you are the current task owner of the plan file. Also, if you are the current task owner, then you may be prompted to complete your active task as part of the save process.
- The save-to-database process only occurs if the file is configured to save data to the database. However, most plan files are configured to save to the database.
- The file save does not occur if the plan file is a virtual plan file. Virtual plan files are not saved as persistent plan files; instead they are created as needed from the template each time they are opened.

If the plan file is open as read-only, then it cannot be saved. Exception: some implementations may use a combination of read-only and save data permissions, where the plan file is a static input form and only data is saved to the database.

► **Additional save options**

When you click the **Save** button, Axiom automatically performs all save actions that your user rights allow and that the file is configured to perform. This is the default save behavior that should be used in the majority of cases. If necessary, you can use additional save options to only save the plan file, or to only save the data.

For example, you may be in the process of inputting planning data into the file, and you don't want to save the data to the database until you have finished all your inputs. You can save just the plan file while you are working, and then when you are finished, perform a normal save.

IMPORTANT: If you save a plan file without performing a save-to-database (or vice versa), this may cause a mismatch between the data in the file and the data in the database. Ideally, the plan file save and the save-to-database should occur together, so that the database and plan files remain in synch, and so that you can always track how a plan value was calculated.

To save only the file:

- In the **Axiom** tab, in the **File Options** group, click the down arrow to the right of the **Save** button, and then click **Save File Only**.

The plan file is saved. All save-to-database processes are ignored.

This option is not available if the plan file is a virtual plan file.

To save only the data:

- In the **Axiom** tab, in the **File Options** group, click the down arrow to the right of the **Save** button, and then click **Save Data Only**.

Data from the file is saved to the database. The file itself is not saved.

NOTE: In systems with installed products, the additional save options may be located on the Main tab, or the options may not be available.

► Saving a copy of a plan file

If you want to save a copy of a plan file for archive purposes, or to provide a copy to a non-Axiom user, use the **Snapshot** feature to take a snapshot of the plan file. The snapshot process converts the file to a regular Microsoft Excel file that can be used outside of Axiom. Keep in mind that Axiom formulas will be converted to values, so in some cases you may not be able to tell exactly how a plan value was calculated. For more information, see [Taking a snapshot copy of an Axiom file](#).

The **Save As (Local)** and **Save As (Repository)** options are not available for plan files. If a copy of a plan file is saved outside of its file group, the plan file becomes disconnected from the file group and certain functionality is lost. End users do not have a way to "restore" the copy to the file group. If an administrator needs to export a copy of a plan file for purposes of development or support, Axiom Explorer can be used.

Completing a task in a plan file process

Plan files in a file group can be part of a defined planning process, which is a set of steps for plan files to progress through during a planning cycle. For example, you may have a basic process with two stages: one for managers to develop the plans, and one for the Finance department to review and approve them. Or you may have a multi-step plan which includes several passes of plan development, and multiple levels of review.


For each defined step of the process, each plan file has a designated owner. When the plan file is in a step, that owner has a plan file "task" to perform one of the following actions:

- Edit the plan file and then submit it to the next step.

OR

- Review the plan file and then approve it or reject it.

If you are a plan file owner, then you will be assigned a task and you will see that task in the Process task pane. You can review your assigned tasks and open the associated plan files using this task pane. You may also be notified of the task via email.



Example Process task pane with active tasks

If you are assigned a plan file task, it is your responsibility to complete the task by the specified due date. You can open the plan file from the appropriate task pane (or using the normal file group menus) and perform the necessary edits or review. When you are finished, you can complete the task from the appropriate task pane. You may also have the option of completing the task as part of saving the file.

NOTE: When you are a plan file owner, your permissions to the plan file may be "elevated" as necessary so that you can complete the current task. For example, under normal circumstances you might have read-only access to a particular plan file. But if you are assigned a task that requires you to edit a plan file, then your permissions will be elevated as needed so that you can edit the file and save its data. Once you have completed the task, your permissions will return to normal levels.

When you have finished editing or reviewing a plan file for which you are the currently assigned owner, you must complete the associated process task. You can complete this task using the **Process** task pane, or as part of saving the plan file.

► Completing a plan file task using the Process task pane

You can complete your current process tasks using the Process task pane.

1. On the active step in the Process task pane, click one of the following actions (depending on the step type):
 - For edit steps, click **Mark step as complete**. This moves the plan file to the next step.
 - For approval steps, click **Process Actions > Approve** if you approve the plan file and want to move it to the next step. Click **Process Actions > Reject** if the plan file needs more work, and you want to return it back to a prior step.

NOTE: Some plan file processes may have an additional action of **Deny request** (or a similar customized name). The deny action causes the plan file to be aborted in the process, so that it no longer progresses in the process. This action is intended for cases where the plan file should be completely removed from the process and never approved.

If you currently have more than one active plan file in a step, you can select a plan file before clicking the appropriate action, and that plan file will be pre-selected for completion in the Process Action dialog. You can also right-click a plan file to perform any of these actions.

2. In the **Process Action** dialog, do the following:
 - If you currently have multiple active plan file tasks for this step, select the check boxes for the plan file tasks that you want to complete right now. If you only have one active plan file task (or if a plan file was selected in Process task pane before clicking the action), then that plan file is selected automatically and no check boxes display.
 - You can optionally enter a comment to be stored in the process history and included in the email to the next stage owner (if notifications are enabled). Comments can be up to 1000 characters.
 - If you are rejecting the plan file, and the step is configured so that the step owner selects the step to return to, then you must select the step. The available steps are displayed in a drop-down list in the Previous Step section.

Process Action

Mark process step as completed in process 'Budget Process'.

Current Step
Initial Submission
Jane Doe

Next Step
Management Approval
Wendy Hunter

Complete step for: (1 of 2 selected) [Select All](#) [Clear All](#)

☒ Dept 40000 (Los Angeles - Store 34)
☐ Dept 40500 (West Coast Distribution)

Comment Any comment will be stored with the process and included in notifications to the next step owner.
Travel budget is higher than expected due to sales conference.

938 characters remaining

OK **Cancel**

Example process action dialog with multiple active tasks

Process Action

Mark process step as rejected in process 'Budget Process'.

Select step ...
▼
Budget Development (Step 1 of 5)
Management Approval (Step 2 of 5)
Management Edits (Step 3 of 5)

Current Step
CFO
Clark Wayne (admin)

Next Step
Final Approval
Ron Sandstone (rsandstone)

Step - Store 78).

Comment Any comment will be stored with the process and included in notifications to the next step owner.

1000 characters remaining

OK **Cancel**

Example process action dialog with a user-selects rejection step

3. Click **OK** to complete the task.

Once the background tasks are complete and the plan file has been moved to the next (or prior) step, then you are no longer the step owner and the task no longer displays as active in the task pane.

► Completing a plan file task when saving a plan file

Your system may be configured so that when you save a plan file for which you have an active process task, you are given the option to complete the task after the save occurs.

NOTES:

- The option to complete a plan file task while saving is only available if the plan file is in a step that allows edits. If the plan file is in an approval step that does not allow edits, then you must use the Process task pane to complete the task.
- This option only applies to spreadsheet plan files. If you are working on a form-enabled plan file, there is no way to prompt the user to complete the task as part of a save. Instead, the plan file may contain a button that allows you to complete the current task.

If the save is successful, a dialog similar to the following opens:

The dialog box, titled "Process Action", is for performing a process action for the "Budget Process". It displays a flow of three steps: "Previous Step" (Initial Submission by Jane Doe), "Current Step" (Management Approval by Wendy Hunter), and "Next Step" (Final Approval by multiple step owners). Below the steps are three radio button options: "Return to previous step", "Leave in current step" (which is selected), and "Advance to next step". A message states: "No action will be taken for Dept 44500 (California Warehouse)." Below this is a "Comment" field with a placeholder text "Any comment will be stored with the process and included in notifications to the next step owner." and a character count of "1000 characters remaining". At the bottom right are "OK" and "Cancel" buttons.

This dialog provides information about the current step for the plan file, as well as the next step and the prior step (if applicable). Using this dialog, you can select one of the following options:

- **Leave in current step** (default): You will remain the plan file owner and you can continue to work on the plan file.
- **Advance to next step**: Select this option if you are done working on the plan file and you are ready to advance it to the next step. In most cases this means that you will no longer be the plan file owner and you can no longer edit the plan file.
- **Return to previous step**: Select this option if you want to "reject" the plan file and return it to a previous step. This option is only available if the current step is an approval step. In most cases this means that you will no longer be the plan file owner and you can no longer edit the plan file.

When rejecting the plan file, in some cases you may have the option to select the step that you want the plan file to return to. In this case, the Previous Step box at the top of the dialog is interactive, so that you can select the target step.

Process Action

Perform process action for 'Budget Process'

Select step ...
Budget Development (Step 1 of 5)
Management Approval (Step 2 of 5)
Management Edits (Step 3 of 5)

Current Step

CFO
Clark Wayne

☐ Leave in current step

Next Step

Final Approval
Ron Sandstone (rsandstone)

☐ Advance to next step

Step will be rejected for Dept 43000 (Dallas - Store 78).

Comment Any comment will be stored with the process and included in notifications to the next step owner.

1000 characters remaining

OK Cancel

Example process action dialog with a user-selects rejection step

Some plan file processes may have an additional action of **Deny request** (or a similar customized name). The deny action causes the plan file to be aborted in the process, so that it no longer progresses in the process. This action is intended for cases where the plan file should be completely removed from the process and never approved. For example:

Process Action

Perform process action for 'Capital Requests'

Previous Step

Initial Submission
Rufus Xavier Sasparilla

☐ Return to previous step

Current Step

Manager Approval
Wendy Hunter

☐ Leave in current step

☒ Deny request

Next Step

Executive Approvals
(multiple step owners)

☐ Advance to next step

The plan file process will be aborted for CapReq 34 (Equipment Maintenance).

Comment Any comment will be stored with the process and included in any notifications.

No budget available for the request

964 characters remaining

OK Cancel

Example process action dialog with a user-selects rejection step

If you choose any action other than leaving the plan file in the current step, then you can enter an optional comment to be saved in the process history and included in the notification to the next step owner (if notifications are enabled).

This process dialog only displays if your system has been configured to prompt users about process tasks when saving. Otherwise, you must use the Process task pane to complete plan file tasks.

Using Reports

Axiom reports can query data from any table in the Axiom database. This section provides basic information about spreadsheet-based Axiom reports, and explains how to open existing reports and refresh them with data.

For information on how to set up the data query for a report, and how to configure other Axiom file options, see the *Axiom File Setup Guide*.

In addition to the report-specific functionality detailed in this section, you can use standard Axiom file features and tools. Report files use the same functionality as other Axiom files to perform actions such as changing views or navigating to file bookmarks. For more information, see [Using Axiom File Features](#) and [Printing Files and other File Output Options](#).

About reports

Reports use Axiom file functionality to bring in data from the database, and if desired, to save data back to the database. You can use any Axiom file feature in a report except calc method libraries.

Report files, unlike other Axiom files, are not associated with any file group. You can bring in data from any table. For example, if you have two file groups that are configured to save data back to two different tables (or to different columns in the same table), you can use a report to compare the data.

► Report structure

Axiom reports are free-format. When you create a new report, you can use various query options to bring data anywhere into the report, and you can use spreadsheet functionality to format the report and calculate values such as subtotals and percentages.

Reports can have any number of sheets. Each sheet can be configured to bring in data from the database, and, if desired, save data back to the database. If you want to use an Axiom query on a sheet, or save data to the database from a sheet, that sheet must be configured on the Control Sheet. Other Axiom file functionality, such as Axiom functions or GoTo bookmarks, do not require the sheet to be configured on the Control Sheet.

► Reports Library

Report files are stored in the Axiom database. To make it easy to access and organize reports, Axiom supports a virtual folder structure known as the Reports Library.

Each report is assigned to a folder in the Reports Library. When you open reports, you can navigate through the Reports Library structure to quickly locate the report that you want to open.

The Reports Library is managed by using Axiom Explorer. If you are an administrator, or if you have **Administer Axiom Explorer** rights, then you can use Axiom Explorer to create report folders, move reports between folders, and delete existing reports. For more information on using Axiom Explorer, see the *System Administration Guide*.

► Report output and distribution

In addition to the standard output options for Axiom files—such as the ability to take a snapshot of an Axiom file—report files can use the File Processing feature.

Using file processing, you can refresh a report file and perform output and distribution actions such as saving a snapshot copy of the file, emailing a snapshot copy of a file, or exporting data to a CSV/TXT file. You can process the file "as is," or perform multipass processing on the file, where the file is processed multiple times using a unique filter for each pass.

For more information, see [Processing a report](#).

► Saving data to the database

In addition to viewing data, you can also use reports to calculate data and save data back to the database. In certain circumstances, it may be more appropriate to use a report to save data rather than plan files or driver files. If a report file has been configured to save to the database, you can use the **Save** button in the **File Options** group to save data.

Contact your Axiom consultant if you are unsure about the best way to manage a certain set of data.

Opening a report

Axiom reports are organized by folder in the Reports Library. The specific report folders and files that you can access and the level of access rights depend on your security settings. Administrators have full access to all reports.

To open a report in the Reports Library:

1. On the **Axiom** tab, in the **Reports** group, click **Reports** to bring up the Reports menu.

TIP: You can also open reports from the Explorer task pane or Axiom Explorer.

2. Do one of the following:

- Click **All Reports** to view the contents of the Reports Library within an Axiom grid. You can then select one or more reports to open. You can sort, filter, and group the list using standard Axiom grid features. For example, you can find a report by name by filtering on the Document Name field.
- Use the Reports Library folders at the bottom of the menu to navigate to the specific report that you want to open. Report folders may have sub-folders.

NOTE: If another user adds a file or a folder to the Reports Library during the current session, it may not be immediately visible to you. You can refresh your view by selecting **Reports > Refresh File System**.

The selected report opens. If a report was opened read-only, then the text **(R/O)** displays in the file tab. Read-only reports cannot be saved.

NOTE: If another user has the report open as read/write, then you can only open the file as read-only, regardless of your security permissions.

► Advanced options

The following options are available in the Reports Library dialog, Axiom Explorer, and the Explorer task pane:

- If you want to open a report without refreshing Axiom queries that are configured to refresh on open, right-click the file and then select **Open Without Refresh**. This option is only available to administrators.
- If you have read/write permissions to a report but you want to open it as read-only to prevent locking the file from other users, right-click the file and then select **Open Read Only**.

► Opening non-managed report files

If you have a *non-managed* report saved to your local drive or a network folder, you can open it as follows:

- In the Excel Client, use standard Excel functionality to open the file within Axiom.
- In the Windows Client, click the Axiom button in the top left-hand corner. Click **Open** and then navigate to the file.

Reports Library dialog

Use the Reports Library dialog to open one or more reports.

Although the primary purpose of the Reports Library is to store Axiom reports, other types of files can be stored in the Reports Library. For example, Word files or PDF files could be saved in the Reports Library, to provide users with supporting information for certain reports.

► Report list

This dialog displays a list of all reports that you can access. The list of reports that you can access depends on your file permissions in Security. Access can be granted by report folder, or by individual files.

The list of reports is displayed in an Axiom grid. You can use standard Axiom grid features to sort, filter, and group the list.

The following columns of information are displayed about each report. You can hide columns or show additional columns by right-clicking the column header.

Column	Description
Folder Path	<p>Displays the folder path where the report resides in the Reports Library.</p> <p>By default, the list is sorted by folder path. If you want to view only the reports for a specific folder, you can do one of the following using the Axiom grid features:</p> <ul style="list-style-type: none">• Right-click the column header and select Group by 'Folder Path'. The list becomes grouped by folders. You can expand the folder that you want to view.• Click the down-arrow button in the column header to open the grouping and filtering dialog for the column. In the Equality section, select the check box for the folder that you want to view. The list becomes filtered to only show the contents of that folder. <p>To clear the grouping or filtering, right-click the column header and select Clear Groupings or Clear All Filters.</p>
Document Name	Displays the name of the report.
Type	<p>Displays the file type of the report.</p> <p>Axiom report files are either XLSM or XLSX. However, it is possible to save other file types to the Reports Library.</p> <p>If you open a file from the Reports Library that is not an Excel file, the associated application will open if it is installed on your computer. For example, if you open a PDF file from the Reports Library, it will be opened within the local copy of Adobe Reader.</p>
Locked By	<p>If the report is currently locked by another user, that user's name displays in this column.</p> <p>A report becomes locked if another user has opened the file as read/write.</p> <p>If the report is currently locked, then you can only open it as read-only.</p>

Column	Description
Description	Displays the description of the report. Report descriptions are defined when the report is saved. The description can also be edited using Axiom Explorer.
Last Modified	Displays the date that the report was last saved.
Creation Date	Displays the date that the report was created in the Reports Library.

► Actions

To open reports, select one or more files in the list, and then click **OK**.

The following additional actions are available by selecting one or more reports and then right-clicking the selection:

- **Open Read Only:** Open the report(s) as read-only. You might do this if you want to look at a report, but you do not want to lock it for editing. Other users can still open the file as read/write.
- **Open Without Refresh:** Open the report(s) without running any Axiom queries that are set to refresh on open. This option also ignores the **Downgrade to read-only on open** setting. This option is only available to administrators.

Creating a new report

You can create a new report if you have read/write access to at least one folder in the Reports Library. You can use any of the methods discussed below to create a new report. If you do not have these permissions, then the associated menu options for creating new reports will not be available to you.

NOTE: After saving a new report to the Axiom file system, you may not see that new report displayed in Axiom Explorer or the Reports menu until the file system has been refreshed. You can go to **Reports > Refresh file system** to manually trigger a refresh and cause the new report to display.

► Creating a new report using the Report Wizard

You can create a new report using the Report Wizard. In the wizard, you make selections regarding the type of report that you want to create and the desired data, and then the wizard creates a report based on your choices. You can then further modify the report as needed.

To create a new report using the Report Wizard:

- On the **Axiom** tab, in the **Reports** group, select **Reports > Report Wizard**.

For more information on how the Report Wizard works and what types of reports can be made using the Report Wizard, see the *Axiom File Setup Guide*.

► Creating a new blank report

You can create a new report "from scratch" using the default blank report template. This template is entirely free-format.

If your organization has saved additional report templates, you can use those to create a new report as well. Only administrators can create new report templates.

To create a new blank report:

- On the **Axiom** tab, in the **Reports** group, select **Reports > New Report**.

If your system has multiple report templates, you can select the template that you want to use from this menu. Otherwise, the default ReportTemplate is automatically used.


A new report file opens, containing a Control Sheet and one or more blank sheets. Give one of the blank sheets a name and configure it on the Control Sheet. You can use the Sheet Assistant to do this, or you can manually type the sheet name into the Control Sheet.

You can now use Axiom file functionality on this sheet, such as using Axiom queries to bring in data. For more details on setting up Axiom files, see the *Axiom File Setup Guide*.

Certain features do not require the sheet to be set up on the Control Sheet. For example, if you only want to use Axiom functions to query data, such as GetData, then you do not have to use the Control Sheet. However, in most cases you will want to configure used sheets on the Control Sheet.

► Saving a new report

To save a new report, click **Save** in the **File Options** group of the **Axiom** tab. When you save the new report for the first time, you are prompted to define a file name and select a folder location in the Reports Library. You can also define a description for the report.



You must have read/write permissions to a folder in order to save a report there. A lock icon displays next to folders where you do not have read/write permissions. If you have access to a My Documents folder, you can also save reports there for your own use.

If you later want to change the file name, location, or description, you can use Axiom Explorer. If you do not have rights to access Axiom Explorer, you can edit the description by using **Save As (Repository)** (save the file with the same name and location, but edit the description).

You can also choose to save the report to your local drive or to a network location, by using **Save As (Local File)**. In this case the report is not stored in the Axiom database and is considered to be a *non-managed file*.

NOTE: Access to certain task panes (such as the Sheet Assistant) may depend on security permissions defined at a folder level. When a new report file is created, the file location is assumed to be the root of the Reports Library until the file is saved. Therefore access to task panes for brand new reports depends on the user's permissions defined at the Reports Library level. If a user does not have permission to the task panes at the Reports Library level but does have access at a sub-folder level, then the user will not see the task panes until they save the file to that sub-folder.

► Creating a new report based on an existing file

You can use **Save As** to create a new report based on a copy of an existing report. You can save the copied file to the Reports Library, or as a local non-managed file.

You can also create a report based on an existing Excel file, by opening the Excel file in Axiom. If you want to use certain Axiom file features such as Axiom queries, you must add a Control Sheet to the report. Then you can use **Save As (Repository)** to save the file to the Reports Library.

Refreshing a report with data

To update a spreadsheet Axiom report with the most current data from the database, refresh the file. A refresh does the following:

- Updates active Axiom queries with data, according to the update settings defined for the query
- Updates Axiom functions with data
- Performs an Excel calculation
- Reapplies the currently active views (if applicable)

To refresh a report:

- On the **Axiom** tab, in the **File Options** group, click **Refresh**.

This refreshes all sheets in the workbook. If you want to refresh the current sheet only, click the down arrow on the right-hand side of the **Refresh** button, and then click **Refresh Active Sheet**.

In systems with installed products, this feature may be located on the **Main** tab.

You may be prompted to define values before the refresh occurs. If so, these values will be applied to the report to impact the data refresh.

TIP: You can also use F9 to refresh the entire workbook, and SHIFT+F9 to refresh only the active sheet.

NOTE: Administrators can use the Refresh command on the **Axiom Designer** tab to perform more targeted refresh actions, such as refreshing only a specific Axiom query.

Applying a Quick Filter to a report


Using the Quick Filter feature, you can apply a temporary filter to a report. This allows you to quickly view the data at a different level of detail, without needing to alter the report configuration.

For example, you may be viewing an Income Statement report for the entire consolidated organization, and you want to view the same report at a different level of detail, such as for just North America or just the South region. You can use the Quick Filter to recalculate the report at the desired level of detail, and then clear the filter when you are done.

The Quick Filter is combined with your table security filters and any filters that are currently defined in the report, such as sheet filters and filters defined for Axiom queries.

To apply a Quick Filter to a report:

1. On the **Axiom** tab, in the **File Options** group, click **Quick Filter**.



NOTE: In systems with installed products, this feature may be located on the **Main** tab.

2. At the top of the dialog, specify how the filter should be applied:

- **Workbook** (default): The Quick Filter is applied to all sheets in the workbook.
- **Active Sheet**: The Quick Filter is only applied to the currently active sheet.


This selection may determine which hierarchies and tables are available in the dialog to build the filter. See [Hierarchy and table availability in the Quick Filter dialog](#).

3. In the **Quick Filter** dialog, define a filter using one of the following methods:

- **Data Hierarchies**: Select the desired hierarchy levels(s) from the hierarchies listed in the dialog. As you select items in the hierarchy, the corresponding filter is automatically built in the **Filter** box.

For example, you might have a hierarchy named Geography, which has local regions rolling up into countries, and countries rolling up into world regions. You can select the desired items that you want to see in the report, such as Europe, Asia, or North America as world regions. For more information and examples, see [Understanding hierarchy-based Quick Filters](#).

- **Manual Filter**: You can manually type a filter into the **Filter** box using standard filter criteria statement syntax. Fully qualified Table.Column syntax must be used.
- **Advanced Filter**: Click **Advanced Filter** to create a filter using any reference table columns (not just hierarchy columns).



Example Quick Filter dialog

4. Click **OK**.

If the Quick Filter is applied to the entire workbook, a warning message informs you that the entire workbook will be refreshed. If you do not want to see this message again in the future, select **Don't show this message again**. Click **OK** to continue.

If the Quick Filter is applied to the current sheet, that sheet is refreshed and no warning message appears.

If the file has been configured with `GetCurrentValue("QuickFilter")` functions, then these functions will display the currently applied Quick Filter for your reference. If not, you can view the current Quick Filter by clicking the **Quick Filter** button again. The current filter displays in the **Filter** box.

► Clearing the Quick Filter

Once a Quick Filter has been applied to a report, the filter remains applied until one of the following occurs:

- The file is closed. Quick Filters cannot be saved in the file and are always cleared when the file is closed.
- A new Quick Filter is applied by using the **Quick Filter** button and selecting a different filter.
- The Quick Filter is manually cleared. To clear the Quick Filter, click the **Quick Filter** button again and then click **Clear Filter**.

► Hierarchy and table availability in the Quick Filter dialog

The hierarchies and tables shown in the Quick Filter dialog are based on the Axiom queries in the report. Axiom looks up the primary tables for the queries, and only shows the hierarchies and reference tables that are relevant to those primary tables. This is done to help ensure that the Quick Filter will be applicable to at least one query in the report.

If the filter applies to the entire workbook, then Axiom looks at the primary tables for all Axiom queries in the workbook. If the filter applies to the active sheet only, then Axiom looks at only the primary tables for the Axiom queries defined on the active sheet.

If the primary table of an Axiom query has multiple lookup paths to a reference table, Axiom must be able to choose one of the paths in order to apply a Quick Filter using that reference table. Axiom will automatically prioritize and use one of the lookup paths if it meets one of the following criteria (listed in order of priority):

- A validated column on the primary table (key or non-key) has the same name as the reference table
- The primary table has only one single-level lookup to the reference table (regardless of how many multi-level lookups are present)
- The primary table has only one key column that looks up to the reference table (regardless of how many other single-level non-key lookups are present)

If the spreadsheet report has multiple Axiom queries where the primary tables look up to the same reference table, the reference table will display in the Quick Filter dialog as long as all of the primary tables meet one of these rules, so that the resulting Quick Filter can be applied to all of the queries.


If a primary table has multiple lookup paths to a reference table and one path cannot be prioritized using the previously described criteria, then the reference table will be omitted from the Quick Filter dialog. As an alternative, the primary table itself will display in the Quick Filter dialog, so that a specific path can be selected through the primary table and therefore avoid any ambiguity. For example, if the primary data table has two non-key columns named PrimaryPhysician and SecondaryPhysician that both look up to Physician.Physician, then the selection must be made through the primary data table so that the correct path to Physician.Physician is used.

EXCEPTION: If the primary table of one of the Axiom queries is the reference table, then the reference table will display in the Quick Filter dialog even if the report contains an Axiom query where the primary table does not meet one of these rules. In this case, an ambiguous column error will occur if you attempt to create a Quick Filter using the reference table.

NOTE: If the report uses GetData functions instead of an Axiom query, then all hierarchies and reference tables are listed in the dialog because Axiom cannot determine the "primary table" in this context. In this case, it is possible to define a Quick Filter that does not apply to any GetData functions in the workbook. If this occurs, the filter will simply have no effect.

► Understanding hierarchy-based Quick Filters

When you use hierarchies to create a Quick Filter, Axiom automatically creates the filter based on your selections. When only one item is selected, the filter is simple—only data that matches the selected item is included. For example, if you select Asia from a Geography hierarchy, you will get a filter something like: `DEPT.WorldRegion='Asia'`.



Simple Quick Filter

NOTE: Sometimes when you select a single "child" item underneath a "parent" item, the child and parent will be joined with AND. For example: `DEPT.VP='Jones' AND DEPT.Manager='Smith'`. This means that the DEPT table has other instances of Manager Smith that belong to different VPs, so the compound statement is to ensure that you only get the data where Manager Smith is under VP Jones. (You can manually edit the filter to remove the Jones portion of the statement if you want to see all data for Manager Smith, regardless of VP). If instead Axiom constructs the filter as just `Dept.Manager='Smith'`, that means all instances of Manager Smith are also under VP Jones.

You can select multiple items in the same hierarchy or from different hierarchies. Items from the same hierarchy are combined using OR, which means data matching any of the selected items is included. Items from different hierarchies are combined using AND, which means only data that matches both selected items is included.

Quick Filter ? X

Edit the Quick Filter for the active sheet or workbook.

Apply Filter To: ☒ Workbook ☐ Active Sheet

Data Hierarchies [Advanced Filter](#)

<type here to filter values> X


- Accounts
- ▾ Geography
 - ☒ WorldRegion Asia - Asia region
 - ☐ WorldRegion Corporate - Corporate departments
 - ☒ WorldRegion Europe - Europe region
 - ☐ WorldRegion North America - North America region
- Managerial

Filter: [Clear Filter](#) X

OK Cancel


Example 1

In example 1, we have selected two items from the same grouping level in a single hierarchy, so a simple filter criteria statement is created using IN. The resulting filter will include all data from Asia and Europe.



Example 2

In example 2, we have selected two items from different grouping levels, but within the same hierarchy. In this case a compound filter criteria statement is created using OR. The resulting filter will include all data that belongs to either Italy or US East.



Example 3

In example 3, we have selected two items from different hierarchies, so a compound filter criteria statement is created using AND. The resulting filter will include only data that belongs to both US East and VP David Prince.

Processing a report

If a report is set up to use file processing, you can process the report to automatically perform actions such as:

- Save snapshot copies of the file and automatically email them to various recipients
- Export data in the file to a CSV or TXT file
- Save data in the file to the database as part of a multipass process
- Collect multiple output files into a single report package

- Process multiple reports in batch

This topic explains how to process a file that has already been configured for file processing. For details on how to set up a file for file processing, see the *Axiom File Processing Guide*.

NOTES:

- The File Processing menu command and the associated task pane are only available to administrators or to users with the **Allow File Processing** permission for the current file.
- Other file types can be set up to use file processing, but the most common use is in a report.

To process a file using file processing:

1. Open the file. If you want to see what the file is configured to do during file processing before executing it, you can check the settings in the **File Processing** task pane.
2. In the **File Processing** task pane, in the **Actions** section, click one of the following options to start processing:
 - **Process File:** The file is processed once "as is." The file is refreshed and the file processing action is performed. No multipass filter or settings are applied.
 - **Process File Multipass:** The file is processed multiple times, with a unique filter applied for each pass. For example, if the file is set up to process by DEPT, then the file is processed once for each department. The data queries in the file are automatically filtered to return data for the current pass department only.

TIP: You can also process the file using the **File Processing** menu on the Axiom tab. (In systems with installed products, this feature may be located on the **Main** tab.)

Once file processing is initiated, the following occurs:

- The file is refreshed. If you are performing multipass processing, the file is refreshed using a data filter for the current pass item.
- The file processing action is performed. If you are performing multipass processing, the action may be performed after each pass, or it may be performed once all passes are complete, depending on the file processing settings.

A status bar displays the progress of the file processing. When the processing is complete, a confirmation box displays information about the process, such as how many passes were performed, how many files were created, etc.

Note that the file itself is not saved as part of file processing. You can process a file even if you have read-only rights to the file. However, if the file processing is set up to save to the database, you must have rights to save data for that file.

Saving a report

When you save a report, the report file is updated in the Axiom file system. If the report is configured to save data to the database, a save-to-database also occurs.

To save a report:

- On the **Axiom** tab, in the **File Options** group, click **Save**. (In systems with installed products, this feature may be located on the **Main** tab.)

Your file permission settings in Security determine whether you can save a particular report. If a report is open with read/write permissions, then you can save it. If the report is open as read-only, then the report file cannot be saved, but you may still be able to save data. You may also be able to save a copy of the report.

NOTE: Some files may use a Control Sheet setting that causes the data in the report to zero when the file is saved. This is a security precaution that is normally enabled in reports only. You can click **Refresh** to restore the data.

► Save-to-database reports

Some reports may be configured to save data to the database. If the report is configured to save to the database, then the file is validated before saving. If errors are found, the file still saves but the data save is stopped and the errors are displayed in the **Save Errors** pane. These errors must be corrected before data can be saved to the database. If no errors are found, then a confirmation message displays, with information about the number of records saved.

Your file permission settings in Security determine whether you can perform a save-to-database for a particular report. Note that the permission to save data is managed separately from the file access permission. Therefore, it is possible that you could have read-only permissions for the file, but still have rights to save data (or the opposite—you could have read/write permissions for the file, but not have the rights to save data).

When you click **Save**, Axiom automatically performs all save actions that your user rights allow and that the file is configured to perform. If desired, you can use the additional save options to only save the file, or to only save data.

To save only the file:

- In the **Axiom** tab, in the **File Options** group, click the down arrow to the right of the **Save** button, and then click **Save File Only**.

The plan file is saved. All save-to-database processes are ignored.

To save only the data:

- In the **Axiom** tab, in the **File Options** group, click the down arrow to the right of the **Save** button, and then click **Save Data Only**.

Data from the file is saved to the database. The file itself is not saved.

NOTE: In systems with installed products, the additional save options may be located on the Main tab. In all systems, you can also access these options by right-clicking the file tab.

► Saving a copy of a report

You can save a copy of a report using **Save As** features. You might want to save a copy of a report to use as a starting point to create a new report, or to create an archive copy before making changes to the report.

In most cases, you should save the report to the Axiom file system (in the Reports Library). However, it is possible to save report files outside of the Axiom system (as non-managed files). Non-managed files have limited functionality, and are not covered by Axiom security or included in system processes.

To save a copy of a report to the Reports Library:

1. On the **Axiom** tab, in the **File Options** group, click the down arrow to the right of the **Save** button, and then click **Save As (Repository)**.

TIP: The Save As options are also available by right-clicking the file tab.

The **Save As** dialog opens, displaying the contents of the Reports Library.

NOTE: By default this dialog only displays files with the same file extension as the current file. If you want to view all file types when using this dialog, select **View > Show All Files**. This setting will be remembered.

2. In the left-hand side of the dialog, navigate to the folder in the Reports Library where you want to save the file.

You must have read/write permissions to a folder in order to save a copy of the report there. A lock icon displays next to folders where you do not have read/write permissions to any folder in that folder tree.

3. In the **File name** box, type a name for the new report.
4. Optional. In the **Description** box, type a description for the report.
5. Click **OK**.

To save a copy of a report locally (as a non-managed file):

1. On the **Axiom** tab, in the **File Options** group, click the down arrow to the right of the **Save** button, and then click **Save As (Local File)**.

TIP: The Save As options are also available by right-clicking the file tab.

The **Save As** dialog opens.

2. Navigate to the desired location on your local computer or on a network file share, and then click **Save**.

You can change the name of the file and its file format when saving. In the Excel Client, you can save the file using any file format that your Excel version supports. In the Windows Client, you can save the file as XLSM, XLSX, or XLS.

Using Axiom File Features

Axiom files support a number of features that can be used in plan files, reports, and any other type of Axiom file.

Changing views in an Axiom file

If views have been defined for a sheet in a spreadsheet Axiom file, you can change the view to change how information is presented in the sheet.

For example, you might have the option to switch between a Detail sheet view and a Summary sheet view. You might have the option to toggle certain rows and columns as hidden or shown, such as to select which quarters you want to view. The specific view options available depends on the file design.

To change the views in a sheet:

- On the **Axiom** tab, in the **File Options** group, click **Change view**.

NOTE: In systems with installed products, this feature may be located on the **Main** tab.

This displays a menu showing all views defined in the current sheet. You can click on a view name to activate that view.

Some views are single-selection, which means that activating one view deactivates the prior view. Other views allow for "additive" selections so that multiple views can be active at one time. Some views may open a dialog where you can select specific sets of rows or columns to show. The specific behavior of each view depends on the file designer. Ideally the name of the view will give you a good idea of what to expect when that particular view is selected.

After any view is made active, the freeze panes setting for the sheet is also reapplied. Axiom keeps track of the currently active views in a sheet and will reapply them after you perform certain activities in a sheet, such as refreshing an Axiom query or inserting a calc method.

Jumping to GoTo bookmarks in an Axiom file

If an Axiom file has bookmarks defined in the file, you can go directly to bookmarked points by using the GoTo feature.


To go to a bookmark:

- On the **Axiom** tab, in the **File Options** group, click **GoTo**.

NOTE: In systems with installed products, this feature may be located on the **Main** tab.

A list appears underneath the **GoTo** button, listing sets of bookmarks. For example, there may be a set of bookmarks for each sheet in the file.

Selecting a set brings up a list of bookmarks in that set. Click a bookmark in the list to go directly to that area.



Example GoTo bookmarks

Freezing or unfreezing panes in a sheet

Sheets in Axiom files can be configured to freeze panes at a certain location automatically when the file is opened. You can toggle these frozen panes on and off by using the **Freeze Panes** option.

This option is only available if the sheet is not protected. If you have security rights to unprotect the sheet, the **Freeze Panes** option will become available once the sheet is no longer protected.

To freeze or unfreeze panes in a sheet:

- On the **Axiom** tab, in the **File Options** group, select or clear the **Freeze Panes** check box.

NOTE: In systems with installed products, this feature may be located on the **Main** tab.

If panes are frozen, clearing the check box unfreezes the panes.

If panes are unfrozen, selecting the check box freezes the panes. If a sheet has freeze panes settings configured on the Control Sheet, selecting the check box applies that setting, regardless of where your cursor is in the spreadsheet. Otherwise, the **Freeze Panes** option works like the Microsoft Excel feature, and freezes panes at the current cursor position.

NOTE: If you have toggled freeze panes off, and then you use **Change view** to select a view (or if you otherwise perform an action that causes a view to be reapplied), the freeze panes settings for the sheet are reapplied.

Administrators can alternatively use the **Show Everything** command to turn off all protections and display controls at once, including frozen panes.

Drilling the data in an Axiom file

Axiom provides various options to drill the data in an Axiom file:

- **Drill down.** You can "drill down" a data row to view the data at a different level of detail. If hierarchies have been set up for your data, you can drill down predefined hierarchy levels. You can also drill down to the "bottom" of the data or choose any relevant column for drilling.
- **Drill through.** You can "drill through" the data in a specific cell to view the associated sub-GL detail or transactional data. This feature is only available if drill through has been enabled for the source data, using drill-through definitions.
- **Custom drilling.** You can drill data using Axiom's custom drilling feature. Custom drilling is extremely flexible and can be set up to drill virtually any source data, to any user-defined drilling level. Custom drilling must be set up in advance for the report, and requires advanced report writing knowledge to configure.

Drilling data: Using Drill Down

You can drill down a row in an Axiom file to view the data at a different level of detail. For example, if a row of data in the report shows budget totals for the Northwest region, you can drill the row to see the values for each individual department in that region. This type of drilling is known as "drilling down."

Drilling down can be used in report files or plan files, but the most typical use case is in reports. In plan files, most data is already at the lowest level of detail, so drilling down may only be useful if the plan file has a summary sheet with drillable data.

If a row is eligible for drilling, you can drill down hierarchies that have been set up for the data. For example, your system may have a Geography hierarchy such as: Country > Region > DEPT. You can also choose to drill directly to the "bottom" of the data (all dimensions), or drill using any related column in the data.

You can drill data rows that result from an Axiom query or that are built using GetData functions. A few limitations apply, and some advanced configurations have special behaviors. For more details, see the drill down setup discussion in the *Axiom File Setup Guide*.

Drilling can be disabled on a per sheet level. If drilling has been disabled for a sheet, then the Drill option is disabled while you are on that sheet. This may be done if the data on the sheet is not conducive to drilling.

To drill down a row of data:

1. Place your cursor in the row of data that you want to drill.

If you are drilling a row of data that is part of a multiple-row calc method, then you can place your cursor anywhere in the multiple-row calc method. The drill results will be for all rows of the calc method.
2. On the **Axiom** tab, in the **File Options** group, click **Drill**, and then select the desired drill level from the **Drill Down** sub-menu.

NOTE: In system with installed products, this option may be located on the **Main** tab.

Drill option	Description
Hierarchies	<p>Your system may have defined hierarchies that outline logical drilling paths. For example, you may have a Geography hierarchy that allows you to drill from Country to Region to individual departments.</p> <p>Hierarchies are defined per dimension (on the relevant reference table), and are specific to your system.</p> <p>On the Drill menu, hierarchies are listed first if defined. Only hierarchies relating to the current data are shown.</p> <p>NOTES:</p> <ul style="list-style-type: none">• If the data to be drilled comes from multiple data tables, then only the hierarchies from shared lookup reference tables are available.• If you are drilling an Axiom query, hierarchy options will be grayed out on the menu if you are already at that level of detail. For example, if the report is at the VP level already, VP is grayed out on the menu. However, when you are drilling GetData functions, all hierarchy options are present on the menu, because the GetData functions may all have different "sum by" levels.

Drill option	Description
All Detail	<p>Selecting All Detail takes you directly to the very "bottom" of the data. Essentially, you are drilling based on all dimensions at once, rather than on one specific dimension.</p> <p>The drill sheet will contain one column for each dimension (key column) in the data, including a description column for each (if applicable).</p> <p>NOTE: If the row contains data from more than one data table, then this option is only available if the tables share the exact same key columns and all of the key columns are lookup columns.</p>
Choose Columns	<p>Selecting Choose Columns allows you to drill based on any relevant column for the current data, including non-lookup key columns.</p> <p>In the Select Columns dialog, select the column (or columns) that you want to drill by. You can select from any column in the primary data table, as well as any column in lookup reference tables.</p> <p>This drilling option is entirely free-format. There is no validation to determine if a particular column selection makes sense in relation to the current data.</p> <p>NOTES:</p> <ul style="list-style-type: none"> • Calculated fields do not display and cannot be used for drilling. • If the row contains data from multiple data tables, then only columns from shared lookup reference tables can be selected.

A temporary file opens, named `Drill_Filename.xlsx`. This file contains a drill sheet named **Drill_DrillLevel**, that shows the results of the selected drill. The top of the drill sheet displays your current drill context.

If you want to continue to drill, you can do either of the following:

- Return to the original sheet (or a different sheet) in the original file, and then select a new drill level. If you left the temporary drill file open, then a new drill sheet will be added to that file, with the new drill results. If you closed the temporary file, then Axiom creates a new temporary file.
- Select a row in the drill sheet, and continue drilling to a lower level of detail. A new drill sheet will be created in the temporary file with the results.

When you are finished viewing the drill results, close the temporary file. While it is possible to use **Save As** to save the temporary file, typically this is not useful. You can always perform the drill again at any time to see the results. If you find yourself performing the same drill over and over, you may want to create a new report that displays the data at the desired level. If you want to share the drill results with someone else, the best approach is to create a snapshot copy of the temporary drill file.

Double-click drilling

If Axiom double-click actions are enabled for the sheet, then you can drill a row of data by double-clicking it. In this case, a dialog opens, listing the drilling options for the current row selection. Select the desired drill level and then click **OK**.

NOTE: Certain double-click actions may take priority over drilling.

Drilling data: Using Drill Through

You can drill a specific data point in an Axiom file to see the associated sub-GL detail or transactional data. This feature is only available if "drill through" has been enabled for the source data, using a drill-through definition.

The drill-through feature can be used in either report files or plan files.

You can drill data values that result from an Axiom query or from a GetData function. A few limitations apply, and some advanced configurations have special behaviors. For more details, see the drill through discussion in the *Axiom File Setup Guide*.

Drilling can be disabled on a per sheet level. If drilling has been disabled for a sheet, then the Drill option is disabled while you are on that sheet. This may be done if the data on the sheet is not conducive to drilling.

To drill through the data in an Axiom file:

1. Place your cursor in the cell that contains the value you want to drill.
2. On the **Axiom** tab, in the **File Options** group, click **Drill**, and then select the desired drill from the **Drill Through** sub-menu.

NOTE: In system with installed products, this option may be located on the **Main** tab.

If **Drill Through** is not listed on the drilling menu, then the selected cell is not eligible for drill through.

A temporary file opens, named `Drill_Filename.xlsx`. This file contains a drill sheet named **Drill_DrillLevel**, that shows the results of the selected drill. The top of the drill sheet displays your current drill context.

NOTE: When you drill through data, you drill from the source table to an entirely different table that holds the detailed data. The data results are entirely dependent on the drill-through configuration (unlike drill down, where the drill data is queried from the same table and derived programmatically). If the drill results are not as you expect, please contact your system administrator.

Double-click drilling

If Axiom double-click actions are enabled for the sheet, then you can drill a data value by double-clicking it. In this case, a dialog opens, listing the drilling options for the current selection. Select the desired drill level and then click **OK**.

Drilling data: Using custom drilling

If an Axiom file has been set up for custom drilling, then you can drill the data in the file to view it at a different level of detail, or to view a set of related data. Custom drilling is most often used in reports, but it can be applied to any Axiom file.

Each sheet can have one or more custom drilling options. Custom drilling is completely configurable and can be set up to return any set of data. If you have any questions about the custom drill options in a particular file, contact the report designer or a system administrator.

Custom drilling can be initiated by double-clicking a row, or by using the **Drill** menu. Double-click drilling is only available if one of the drilling options in the file has been configured to use it. Otherwise, all active custom drills can be initiated from the **Drill** menu. If custom drill options are available for the file, they are listed under the subhead **Custom Drills**.

If a file is not set up for custom drilling, then only the "built-in" drilling options display on the **Drill** menu.

To drill the data in an Axiom file using custom drilling:

1. Do one of the following, depending on the desired drill and how the file is configured:
 - Double-click the row that you want to drill.
 - Place your cursor in the row that you want to drill. On the **Axiom** tab, in the **File Options** group, click **Drill** and then select a drill option listed under the **Custom Drills** subhead.

TIP: You can also initiate drills from the right-click context menu.

2. If the drill option requires you to select a drilling level, then the **Drill** dialog opens, displaying the available levels. Select a level and then click **OK**.

If the drill option has just one level, then this step does not apply.

A report file opens, displaying the results of the selected drill. This target drill report is a separate file that is opened using your normal file security rights. When you are done viewing the drill data, you can close the report.

NOTE: When custom drilling, drill results are presented differently than when using the built-in drilling features. Custom drilling uses a separate target report that has been specially configured to present the drill results. You cannot continue drilling the target report unless the target report has also been configured to support custom drilling (or unless the data in the target report is eligible for built-in drilling).

Printing Files and other File Output Options

Axiom has a variety of features that can be used to create file output and share data with people throughout your organization.

Printing an Axiom file

You can print a spreadsheet Axiom file on a per sheet basis. You can decide to print one or more sheets, or all available sheets.

Each sheet can have one or more defined print views. The print views can be used to print different "views" of the sheet, and to set certain standard print options such as the print orientation. For example, for a plan file, you might have one print view that prints a "summary" view of the sheet (with certain columns and rows hidden for printing), and another print view that prints a "detail" view of the sheet (with all columns and rows visible).

If a sheet has no predefined print views, then the sheet can be printed using the settings defined for the spreadsheet using standard Excel printing features. For more information on defining print settings for a spreadsheet, see the Microsoft Excel Help. In the Windows Client, the spreadsheet print settings are defined in the Workbook Explorer, in the **Page Setup** section for each sheet.


NOTE: You can always print the file using standard spreadsheet print functionality, even if Axiom print views have been defined.

To print an Axiom file:

1. On the **Axiom** tab, in the **File Output** group, select one of the following:
 - If you want to be able to select print views from all sheets in the workbook, click **Print**.
 - If you want to print only the current sheet, then click the arrow to the right of the **Print** button, and then click **Print This Sheet**.

NOTE: In systems with installed products, this feature may be located on the **Main** tab—either directly on the ribbon or under **Publish**.

The **Print Sheets** dialog opens. This dialog lists the available print views for the entire workbook or for the current sheet, depending on how you entered the dialog. To sort this list by the Sheet Name or Print View Name, click the column header.



Example Print Sheets dialog

NOTES:

- If a sheet does not have a defined print view, then it is listed with a print view name of "Default," and will use the print settings defined for the spreadsheet.
- Control Sheets cannot be printed using the Axiom printing feature, whether they are visible or hidden. If you want to print a Control Sheet, use the standard spreadsheet printing features.

2. In the **Print Sheets** dialog, select the sheet / print view combinations that you want to print.

If you want to print all print views for all sheets, then select the check box in the column header to select all.

If you opened this dialog by using **Print This Sheet** and the sheet has only one available print view, then that view is selected by default.

3. You can also do any of the following before printing:

- **View and edit the print settings.** If you want to view and potentially change the print settings for a selected view, click the **View/Edit** link. In the **Print Options** dialog, you can change any of the print settings, for the current print job only (the changes are not saved in the file).
- **Preview a print view.** If you want to preview a print view, click the **Print Preview** link. The native spreadsheet Print Preview feature will open to preview the print job. Only one view can be previewed at a time.
- **Select a printer.** If you want to print to a different printer than your default printer, click **Choose Printer** at the bottom of the dialog. In the **Printer Setup** dialog, select the printer that you want to use, and then click **OK**.

NOTE: In the Windows Client, the printer is always your default printer unless you change it for a particular print job. In the Excel Client, the printer starts as your default printer, but if you change the printer for a print job, the changed selection will be remembered for any future print jobs in the current session.

4. Click **Print**.

The selected items are printed.

Print Options dialog

The **Print Options** dialog displays the print settings for the current print view. If desired, you can edit settings for the current print job only. Any changes made will not be saved in the file.

NOTE: Print options are read-only when using the **Print Plan Files** option to print multiple plan files.

This dialog displays all of the settings that will be applied to the print job, whether the setting is defined in the associated Print tag or inherited from the spreadsheet settings. If a setting is blank, then that print option is not defined and will not be applied to the print job.

Print View Options

Item	Description
Print View Name	The name of the current print view.
View Name	<p>The name of the sheet view to be applied when printing. These are the same sheet views that are available from the Change View menu.</p> <p>For example, if the sheet view is configured to hide columns or rows, those columns and rows will be hidden in the print copy. Row and column sizing is also applied.</p>
Paper Size	The paper size for the print job, either Letter or Legal .

Item	Description
Orientation	The print orientation for the print view, either Portrait or Landscape .
Repeat Rows	The rows to repeat at the top of the page. Rows must be specified as a range; for example: 1 : 3.
Repeat Columns	The columns to repeat at the left of the page. Columns must be specified as a range; for example: A : C.

Scaling

Item	Description
Fit To Pages Wide	The number of pages on which to fit the print area. For example, if you want the print area to fit on one page, specify 1.
Percent Zoom	The percent zoom to apply to the print range. Specify the number without a percent sign. For example, to zoom by 90%, specify 90.

Headers and Footers

Item	Description
Left Header	Header text to display in the left-hand side of the header.
Center Header	Header text to display in the center of the header.
Right Header	Header text to display in the right-hand side of the header.
Left Footer	Footer text to display in the left-hand side of the footer.
Center Footer	Footer text to display in the center of the footer.
Right Footer	Footer text to display in the right of the footer.

Printing multiple plan files

You can print multiple plan files in batch by using the **Print Plan Files** feature. You can select multiple plan files within a file group, and then select one or more print views for each plan file. The available print views for each plan file are based on the template that was used to create the plan file.

To print multiple plan files from a file group:

1. On the **Axiom** tab, in the **File Output** group, click the down arrow to the right of the **Print** button, and then click **Print Plan Files**.

NOTE: In systems with installed products, this feature may be located on the **Main** tab—either directly on the ribbon or under **Publish**.

TIP: If you have access to the file group menu for a file group, then you can access **Print Plan Files** from the file group menu. In this case, the current file group is pre-selected in the dialog.


2. In the **Print Plan Files** dialog, use the **File Group** list to select the file group that contains the plan files that you want to print.

Only one file group can be printed at a time. Once a file group is selected, the dialog displays a list of the available plan files.

3. In the **Select plan files to print** section, select the plan files that you want to print.
 - You can sort and filter the list using standard Axiom grid functionality to find the plan files that you want to print.
 - To select multiple plan files at once, highlight the plan files, and then right-click and select **Select**. If you want to print all plan files that currently display in the dialog, select the check box in the header row.

Once at least one plan file has been selected, you can select which print views to print.

4. In the **Select views to print** section (at the bottom of the dialog), select the views that you want to print. You must do this for each source template used for the selected plan files.



- Click the **Select print views** link.
- In the **Select Print Views** dialog, select the sheet / print view combinations that you would like to print, and then click **OK**.

If you want to see the settings that will be applied to the print job, click the **View** link. Print settings are read-only in this context.

NOTE: All template sheets are listed in this context (except for Control Sheets), including sheets that you may not normally see in plan files because they are hidden. If you select a sheet that is hidden in one of the selected plan files, it will not be printed. A message will inform you of the unprinted sheet when the printing process is complete.

- Repeat this process for each source template.

If all of the selected plan files were built using the same template, then there will be only one template listed. If the selected plan files were built using multiple templates, then multiple templates will be listed. The print selections for each template will only apply to the plan files that were built using that template.

5. If you want to print to a different printer than your default printer, click **Choose Printer** at the bottom of the dialog. In the **Printer Setup** dialog, select the printer that you want to use, and then click **OK**.

NOTE: In the Windows Client, the printer is always your default printer unless you change it for a particular print job. In the Excel Client, the printer starts as your default printer, but if you change the printer for a print job, the changed selection will be remembered for any future print jobs in the current session.

6. Click **Print**.

The selected plan files are printed, using the print view selections.

If a selected print view is not found in a target plan file, a message displays at the end of the process, listing the affected plan file and the relevant sheet / print view. This may occur if the print views in either the template or the plan file have been modified after plan file creation.

Running file processing on an Axiom file

If a file is set up to use file processing, you can process the file to automatically create various file outputs, such as:

- Save snapshot copies of the file and automatically email them to various recipients
- Print one or more sheets in the file using one or more print views
- Export data in the file to a CSV or TXT file
- Collect multiple output files into a single report package
- Process multiple reports in batch

File processing can be used in all spreadsheet Axiom files except file group templates, however, report files are the most common use case.

NOTE: The file processing menu command and the associated task pane are only available to administrators and to users with the **Allow File Processing** permission for the file.

To process a file using file processing:

1. Open the file. If you want to see what the file is configured to do during file processing before executing it, you can check the settings in the **File Processing** task pane.
2. In the **File Processing** task pane, in the **Actions** section, click one of the following options to start processing:

- **Process File:** The file is processed once "as is." The file is refreshed and the file processing action is performed. No multipass filter or settings are applied.
- **Process File Multipass:** The file is processed multiple times, with a unique filter applied for each pass. For example, if the file is set up to process by DEPT, then the file is processed once for each department. The data queries in the file are automatically filtered to return data for the current pass department only.

TIP: You can also process the file using the **File Processing** menu on the Axiom tab. (In systems with installed products, this feature may be located on the **Main** tab.)

Once file processing is initiated, the following occurs:

- The file is refreshed. If you are performing multipass processing, the file is refreshed using a data filter for the current pass item.
- The file processing action is performed. If you are performing multipass processing, the action may be performed after each pass, or it may be performed once all passes are complete, depending on the file processing settings.

A status bar displays the progress of the file processing. When the processing is complete, a confirmation box displays information about the process, such as how many passes were performed, how many files were created, etc.

Note that the file itself is not saved as part of file processing. You can process a file even if you have read-only rights to the file. However, if the file processing is set up to save to the database, you must have rights to save data for that file.

Taking a snapshot copy of an Axiom file

You can take a "snapshot" of a spreadsheet Axiom file, so that you can save a copy as a normal Excel file and then open it in Microsoft Excel (without needing Axiom). For example, you may want to send a copy of a report to someone that does not have access to Axiom.

When you create a snapshot of an Axiom file, the file is copied as an XLSX file, and the following occurs:

- All Control Sheets and any hidden sheets are automatically removed. You can choose whether to include all remaining sheets, or only the active sheet.
- All Axiom formulas are replaced with values. You can choose whether to retain Excel formulas, or replace them with values. If Excel formulas are preserved, certain formulas will be replaced with values if they reference sheets or cells that are deleted as part of the snapshot processing.
- Rows and columns flagged for delete are deleted.

Due to the file format, any VBA macros in the file are also removed.

To take a snapshot of an Axiom file:

1. Open the file in Axiom.

2. On the **Axiom** tab, in the **File Output** group, click **Snapshot**.

NOTE: In systems with installed products, this feature may be located on the **Main** tab—either directly on the ribbon or under **Publish**.

The **Snapshot File** dialog opens.

3. In the **Formula Replacements** section, select one of the following:

- **Convert All Formulas** (default): All formulas are replaced with values.
- **Retain Excel Native Formulas**: All Excel formulas in the spreadsheet will be retained as is, with one exception. If a cross-sheet formula references a sheet that will not be present in the snapshot (depending on the **Sheets To Snapshot** setting), that formula will be replaced with values.

NOTE: If the file contains a pivot table, this option must be selected in order for the pivot table to work in the snapshot copy.

4. In the **Sheets to Snapshot** section, select one of the following:

- **Limit to Active Sheet** (default): Include only the active sheet in the snapshot.
- **All Sheets In File**: Include all sheets in the file (except any Control Sheets and hidden sheets, which are always removed).

5. Click **OK**.

The snapshot file is created and is opened in Axiom. The navigation tab for the file is titled either **Sheetname_snapshot** (if the snapshot contains only one sheet) or **FileName_snapshot** (if the snapshot has multiple sheets). You can now use **Save As** features to save the file locally or to a network location.

NOTE: If you are using the Excel Client and you want to save a copy of the snapshot as a PDF file, you can use standard Excel functionality to do so. Use **File > Save As**, and then select PDF as the file type. This is an Excel-specific feature that is not available in the Windows Client.

If you want to email a snapshot to someone directly, you can use the **E-Mail Workbook** feature. This creates a snapshot and attaches it to an email (instead of opening it in Axiom).

Emailing a snapshot of an Axiom file

You can email a snapshot of a spreadsheet Axiom file using the **E-mail** feature. Axiom creates a snapshot copy of the file and attaches it to an email. The copy can then be viewed outside of Axiom by someone who may have no access to the system. When you use this feature, Axiom creates a snapshot copy of the file just like it would if you used the **Snapshot** feature.

The email can be sent using your default email client (such as Microsoft Outlook), or you can send the file using the Axiom Scheduler email service. Note that the Scheduler email service does not support HTML format for email.

NOTES:

- The name of the emailed file is either *Sheetname_snapshot* (if the snapshot contains only one sheet) or *FileName_snapshot* (if the snapshot has multiple sheets). The name cannot be changed.
- You can also email snapshot copies using the File Processing feature. File processing is typically used when you want to automate the process and employ multipass processing to send the same file to different people using different data. The E-mail feature is best used to send "one-off" snapshots as needed.

To email a snapshot copy of an Axiom file:

1. Open the file in Axiom.
2. On the **Axiom** tab, in the **File Output** group, select **E-mail**.

NOTE: In systems with installed products, this feature may be located on the **Main** tab—either directly on the ribbon or under **Publish**.

The **E-mail Active Workbook** dialog opens.

3. For **Send As**, select **Snapshot**.
4. For **Send using**, select one of the following:
 - **Outlook:** Send the email using the default email client on your local machine (for example, Microsoft Outlook). The name of this option may be customized for your organization.
 - **Axiom Mail Service:** Send the email using the Axiom Scheduler email service.
5. Complete the following **Snapshot Options** in the dialog:

Option	Description
Send file as	Select XLS , XLSX , XLSM , or PDF . XLSX is selected by default.
Include	Select one of the following: <ul style="list-style-type: none">• Entire Workbook: All sheets are included in the snapshot (except Control Sheets and hidden sheets, which are always removed).• Active Worksheet Only (default): Only the active worksheet is included in the snapshot.

Option	Description
Formulas	<ul style="list-style-type: none"> • Convert All Formulas (default): All formulas are converted to values. • Retain Excel Native Formulas: Axiom formulas are converted to values, but Excel formulas are left as is. Note that if an Excel formula references a sheet that is not included in the snapshot, that formula will be converted to a value. <p>NOTE: If the file contains a pivot table, this option must be selected in order for the pivot table to work in the snapshot copy.</p> <p>This option does not apply if PDF is the selected file type.</p>

6. Click **OK**.

If you selected to send the file using your default email client, then a new email message opens, with the snapshot file attached. You can then specify the recipient, subject, and body text for the email, and then send it.

If you selected to send the file using the Axiom mail service, then an **E-Mail** dialog opens so that you can specify the recipient, subject, and body text for the email. In the address boxes (**To**, **Cc**, and **BCC**), you can either type an email address, or click the button to select an Axiom user. If you select a user, the email will be sent using the user's email address as defined in Axiom security. When you click **OK**, the email settings are saved to the database, to be sent the next time the Scheduler SMTP Email Delivery task is run.

Notes for administrators

If desired, you can customize the name of the default email client option. By default, "Outlook" is used because most clients have Microsoft Outlook on their client machines. To customize the name, use the **DefaultEmailClientName** system configuration setting. For more information, see the *System Administration Guide*.

Emailing a hyperlink to an Axiom file

You can email a hyperlink to a spreadsheet Axiom file using the **E-mail** feature. Axiom creates a URL hyperlink to the file and includes it in an email. The email recipient can click on the link to launch the system and open the file directly, assuming that the recipient is an Axiom user who has rights to access the file.

The email can be sent using your default email client (such as Microsoft Outlook), or you can send the file using the Axiom Scheduler email service. Note that the Scheduler email service does not support HTML format for email.

NOTES:

- Alternatively, you can obtain a URL to an Axiom file using a variety of ways and then paste it into an email that you create manually. For example, you can use `GetDocumentHyperlink` or right-click a file in Axiom Explorer to obtain a URL. The email hyperlink feature is provided as a convenience to quickly send a hyperlink to the current file.
- The email hyperlink feature cannot be used to send a hyperlink to open a form-enabled file as an Axiom form; the source file will always be opened as a spreadsheet.
- The hyperlink included in the email uses the same format as hyperlinks generated using `GetDocumentHyperlink`, including the differing URL format for systems using SAML or OpenID Authentication.

To email a hyperlink to an Axiom file:

1. Open the file in Axiom.
2. On the **Axiom** tab, in the **File Output** group, select **E-mail**.

NOTE: In systems with installed products, this feature may be located on the **Main** tab—either directly on the ribbon or under **Publish**.

The **E-mail Active Workbook** dialog opens.

3. For **Send As**, select **Document Link**.
4. For **Send using**, select one of the following:
 - **Outlook:** Send the email using the default email client on your local machine (for example, Microsoft Outlook). The name of this option may be customized for your organization.
 - **Axiom Mail Service:** Send the email using the Axiom Scheduler email service.
5. Optional. Complete the **Document Link Options** in the dialog:

Option	Description
Sheet Filter	<p>If desired, enter a filter to apply to the file when it is opened. You can type the filter statement or use the Filter Wizard.</p> <p>The filter is applied like a Quick Filter and affects any data queries in the file. For example, <code>Dept.Region='West'</code> means that all data queried will be limited to the West region.</p> <p>If desired, you can specify a table or table type to apply the filter to, using the same filter syntax that is available for the <code>GetDocumentHyperlink</code> function. In this case you must manually type the filter syntax because the Filter Wizard does not account for this type of syntax.</p>

Option	Description
Cell Address	<p>If desired, specify the cell to be made active when the document is opened. For example:</p> <p style="text-align: center;">Sheet1!D22</p> <p>If the specified location would not be in view normally then the file will be scrolled to that location; otherwise the file will open in its default view with the cursor placed at that location.</p>

6. Click **OK**.

If you selected to send the hyperlink using your default email client, then a new email message opens, with the hyperlink included in the body text. You can then specify the recipient, subject, and additional body text for the email, and then send it.

If you selected to send the hyperlink using the Axiom mail service, then an **E-Mail** dialog opens so that you can specify the recipient, subject, and additional body text for the email. In the **To** and **Cc** boxes, you can either type an email address, or click the button to select an Axiom user. If you select a user, the email will be sent using the user's email address as defined in Axiom security. When you click **OK**, the email settings are saved to the database, to be sent the next time the Scheduler SMTP Email Delivery task is run.

Notes for administrators






If desired, you can customize the name of the default email client option. By default, "Outlook" is used because most clients have Microsoft Outlook on their client machines. To customize the name, use the **DefaultEmailClientName** system configuration setting. For more information, see the *System Administration Guide*.



Reference

Axiom grids


Axiom grids are used in dialogs throughout Axiom, to display lists of information. These grids offer many ways to group and filter the information.

Dept 	Description 	Region 	Country 	VP 
11000	Balance Sheet	Corporate	USA	Michelle Choi
20000	Corporate	Corporate	USA	Michelle Choi
21000	Corporate Administration	Corporate	USA	Oconnor
22000	Information Technologies	Corporate	USA	Frank Martinez

You can change the order of columns by dragging and dropping, and you can sort by clicking a column header.

► Filtering the list


Filtering can be especially helpful when you need to select items to include in a utility or other process. Generally, you can filter the list to show a subset of items, and then select only the items that are shown in the dialog.

To filter a column, click the down arrow button  in the column header. This brings up a grouping and filtering dialog for the column.

The filtering options depend on the type of column. Use one of the following:


- **Equality:** Select a value to show items that exactly match that value. You can select multiple values to match.
- **Contains:** Type a value to show items that contain that value. For example, to show all departments with the text "Overhead" somewhere in the name.
- **Range:** Specify a range of values to show items that fall within the range (inclusive). For example, to display all departments from 20000 to 30000.

Columns are filtered as soon as you select a filtering option. The **OK** button on the grouping and filtering dialog is only to close the dialog. You can press the **ESC** key to close the dialog and cancel the filter.

Once a column is filtered, the arrow button changes to show a filter icon , so that you know the contents of the column are filtered. You can define filters for multiple columns.

To clear a filter for a single column, click the filter button in the column header, and then click **Clear Filters**. To clear all filters, right-click in the column header and select **Clear All Filters**.

For example, if you want to filter the list to show a specific subset of departments, you could set a range as follows:



If you only want to run the utility on this subset of departments, you can select the check box in the header, and only the displayed departments will be selected.


If all of these departments belonged to the same region, or had the same VP, you could achieve the same effect by filtering on the Region or VP column, but this time selecting a specific region or VP to filter the list.

► Grouping the list

To group the information by a column, click the button in the column header (it is either an arrow button or a filter button, depending on whether the column has been filtered), and then click **Group By**.


The list is grouped by the selected column:

- To expand a grouping and see the items in a group, click the down arrow by a group name.
- To contract a grouping and hide the items in a group, click the up arrow by a group name.

Once the list has been grouped, a group icon appears in the column header  (not on the button) to signal which column the list is grouped by. Only one level of grouping can be applied; if you choose to group by a different column, then the current grouping is cleared and the new grouping is applied.

To clear a grouping, click the button in the column header of the grouped column, and then click **Clear Grouping**. You can also right-click the column header and select **Clear All Groupings**.

For example, you could group the **Browse Reports Library** dialog by folder path:



► Hiding and showing columns

In most grids, you can hide columns and you can display additional columns.

- To hide a column, right-click the header for that column, and select **Hide *ColumnName***. You cannot hide a column if it is the key column for the list.

- To show a column, right-click anywhere in the column header to bring up the list of available columns, and then select the desired column to add it to the grid. You can also hide columns using this list, by clearing the check box next to the name of the column that you want to hide.

Column changes apply to the current dialog session only. The next time that you open the dialog, the default columns display.

Index

A

- active cell
 - specifying for Email Workbook 94
- approving a plan file 52
- Axiom Assistant 9
- Axiom Explorer
 - task pane 12
- Axiom file tabs 5
- Axiom files
 - adding sheets 47
 - closing 7
 - favorites, saving as 24
 - printing 85
 - snapshot copy 91
- Axiom grids 97
- Axiom queries
 - executing
 - by refresh 66
- Axiom tab 4

C

- calc methods
 - change rules 45
 - changing an existing row 43
 - inserting into a plan file 35
 - using in plan files 34
- Change Calc Method
 - rules 45
- Change View 78
- Close Axiom Software 27
- commenting on documents 13
- custom drilling 84

D

- drill down 80
- drill through 83
- drilling
 - performing a drill 80

E

- emailing
 - a hyperlink to a file 94
 - a snapshot copy 92
- Explorer task pane
 - using 12

F

- favorites 24
- file attachments
 - adding 49
 - deleting 49
 - viewing 49
- file output 85
- file processing
 - executing 73, 90
- filtering data
 - in a grid 97
 - Quick Filter 66
- freeze panes
 - toggling on and off 79

G

- GoTo bookmarks
 - jumping to bookmarks 78
- grouping
 - data in a grid 97

H

Home page

- closing 3
- returning to 3

- hyperlinks to Axiom files
- sending via email 94

I

- inserting new rows into a plan file 35

M

- message stream 13
- multipass processing
- executing 73, 90

- My Documents 12

N

- Notifications task pane 22

O

- opening
- plan files 30
- overwriting a calc method 43

P

- passwords
- changing 26
- pdf 92
- plan files 28
- about 28
- adding new rows 35
- calc methods, using in 34
- changing calculations on existing rows 43
- creating
- via auto-add 32
- editing 33
- favorites,saving as 24
- file attachments 49

- opening 30
- printing 85
- refreshing 46
- saving 50
- tasks
- process 52

printing

- Axiom files 85
- multiple plan files 88

process management

- Process task pane 16

Process task pane

- using 16

Q

Quick Filter

- applying to a report 66
- hierarchy filter examples 70

R

- recent items 26
- refreshing files with data
- plan files 46
- reports 66
- rejecting a plan file 52
- reports 59
- about 59
- creating 63
- drilling
- performing a drill 80
- favorites,saving as 24
- opening 60
- printing 85
- refreshing with data 66
- Reports Library 60
- saving 63, 75
- structure 59
- Reports Library 60-61

ribbon tabs 4

S

saving files 5

- as favorites 5, 7

- locally 5, 7

- plan files 50

- reports 63, 75

- to the Reports Library 5, 7

snapshot

- emailing a snapshot 92

- taking a snapshot copy 91

sorting data

- in grids 97

steps

- completing 16

submitting a plan file 52

T

tables

- favorites, saving as 24

task panes 9

U

unfreezing panes 79

V

views

- changing 78